



RETAIL UK

EDGE 3 STRETTO WITH TB3 SEATING

DEALERS DETAILS		DELIVERY DETAILS								
Dealers Name		Dealers Address								
Order Date										
Address										
	Postcode	Postcode								
Phone	Email	Quantum Specialist								
PO No	Order Ref	① Clients Weight (required for suspension settings)								

BASE MODEL

14 Colour Options
Height Adj. Removable Arm Supports
Centre Mount Foot Platform
TB3 Seating
12.5" Flat Free Drive Tyres
2" x 5" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£6,550

2"x 6" Flat Free Rear Castors SRS Suspension System QLNES Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3"x 12.5"Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	£50
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	£50
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC
Custom Hydro Dip*	£600

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT PACKAGES - SEAT WIDTH SEAT PACKAGES - SEAT DEPTH 12"-16"W 12"-16"D 14"-16"W 14"-16"D 16"-20"W 16"-20"D Set width at: Set depth at:

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when iLevel is selected.

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	£82
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£99
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£126
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£126
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£148
Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£148
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit	it. £209
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£209
	Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit. Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit. TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit. Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit. Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit. Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit. Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit. Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Static Seat.										
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.										
iLevel Powered Seat Lift & Tilt. 12" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options. Not available with VR2.										
Static Seat to Floor Height. <i>From seat pan</i> .	16"	17″	18"							
Powered Tilt Seat to Floor Height. <i>From seat pan</i> .	17.5″	18.5″	19.5"							
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	18"	19″	20"							

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports.	FOC
Move directly to 'Back Cane Only Support Options' if selected.	

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a pair of plastic lateral wedge inserts.

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. Select size in Back Support Dimensions	Standard				
Omit TB3 Back Support. Includes omit of TRU-Comfort 2 back cushion and lateral wedges.	-£5(
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50				
Stealth Adapter Interface Plate SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	£358				
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.					

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. <i>Angle can be preset manually.</i>	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports or powered recline. Not suitable for occupied transport.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£700

BACK CANE ONLY SUPPORT

Active Con	Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. Select size in Back Support Dimensions Star												
Omit TB3 B	Omit TB3 Back Support. Includes omit of TRU-Comfort 2 back cushion and lateral wedges.												
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.													
ADI Back Support. Skin protection, 4 way stretch, Coolcore cover. Mounts to canes with cane clamps.													
Enter ADI B	ack	Support part numl	ber here for quo	otation									
Back		Tool Angle Adjus	stable. 85° to 120°	° in 5° increments.		Standard							
Cane Only		Flip-forward Bac	k Canes. Not suit	able for occupied transport or	r with Endo mounts.	£200							
Support Positioning.	2" Endo Cano Mounts 1" each side Peduces back width by 2"												
r osicioning.		4" Endo Cane Mo		£40									
•••••	• • • • •	• • • • • • • • • • • • • • • • • • •	6"H 17 "H 18 "H 19 "H 2										

BACK SUPPORT DIMENSIONS

21 "H

Height.

From seat pan.

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

23 "H

22 "H

Back Support Width Package.	12"-14"W	14"-16"W	16"-20"W
back support width rackage.	18"-22"W	20"-24"W	


BACK WIDTH STATIC SEAT OR POWER TILT

		12"		14"		14"		14"		14"		14"		15"		16"			17"		18′		19"		20"			2	1″	22"		24"
	14"	T																														
	15"	T																														
	16"	S	S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	T	S							
	17"	S	S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	T	S							
	18"		S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	T	S							
	19"		S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	T	S							
	20"		S	Q	Т	S	T	S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	T	S							
	21″		S	Q	Т	S	Т	S	Q	Т	S	T	S	Q	T	S	T	S	Q	T	S	T	S	T	S							
j	22"		S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	T	S							
)	23"		S		T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	T	S							
	24"		S		T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	T	S							
	25"		S		Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	T	S							
	26"		S		Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	T								
	27"		S		Т	S	T	S		Т	S	T	S		Т	S	T	S		T	S	Т	S	T								
	28"		S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S	T								
	29"		S		Т	S	T	S		Т	S	T	S		Т	S	Т	S		Т	S	Т	S	T								
	_																								ш							

BACK WIDTH POWER RECLINE

24 "H

25 "H



ARM SUPPORTS

	2-Post Flip-up Removable. Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".							Standard	
	Single Post Drop-in Removable. Adjustment range 11"-17" from seat pan. Minimum seat depth 14".							FOC	
	Paediatric Single Post Drop-in Removable. Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.							FOC	
	TB3 Flip-back. Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.							£350	
	Down Posts for TB3 Flip-back. Only with TB3 Flip-back arm supports. Minimum seat/back width 16".							£100	
Ar	m		10" Standard	STD		10" Waterfall. Not with Std flip-up or TB Flex. F	oc	10" Falcon Gel	£40
•	Support Pads.		14" Standard	FOC		14" Waterfall. Not with Std flip-up or TB Flex. F	oc	14" Falcon Gel	£40
Pa	ius.		17" Standard. TB3 of Minimum seat depth					Falcon Gel Mounting Required for 2-post, Single Po & Paediatric arm supports	

CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Cer	Manually Adjustable Centre Mount Foot Platform. Minimum seat width 14".							
Paediatric Adj. Centre Mo	Paediatric Adj. Centre Mount Foot Platform. 12"-14" seat widths only.							
Power Elevating Articula	Power Elevating Articulating Centre Mount Foot Platform. <i>Minimum seat width 14". Uses 1 power option.</i> £950							
Lower Leg Extensions. From seat pan.	8"-12". Paediatric FOC centre mount only.	10"-16". Manua powered elevatin		13"-19". Manually adj. & FOC powered elevating only.				
Foot Supports	10"W x 8"D Split Foot Supports. FOC		10"W x 11"D Split Foot Supports. Standa Not available with paediatric centre mount.					
Calf Support.	Individual Calf Pads. 6"W x 6"H.	Standard Calf Panel. 18"W		£42				
син зирроги.	Foam Calf Pad Covers.	£42 \	Foam Calf Panel Cove	r. £62				
	4" Width Extension Kit. Not available with 2" length kit or 10"W x 6"D footplates.							
Footplate	2" Length Extension Kit. Not avail	lable with 4" width	kit or 10″W x 6″D footplates.	£16				
Accessories.	Footplate Connector.	£10	Outer Edge Supports	. £10				
	Wheel Bumpers.	£10		result in reduced ground clearance Quantum Technical for information.				

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS


	60° to 90° Tool Adjustable Swing-away Leg Supports. Select lowers and footplates below. Minimum seat width 15". £110								
60° TO 90°	Lower Leg Extensions. From seat pan.	11"-13"	FOC	13"-16.5"	Standard	15.5"-19.5"	FOC		
	Angle & Depth Adj.	4"W x 6"D	FOC	5"W x 6"D	FOC	5"W x 8"D	FOC		
	Foot Support Size.	6"W x 8"D	STD	6"W x 11"	D FOC	8"W x 11"D	FOC		
	Accessories.	Wheel Bumper	Wheel Bumpers £10						
Manual Elevating Articulating Swing-away Leg Supports. <i>Includes calf pads</i> .									
	Power Elevating Articulati	ing Swing-Away Le	g Supports. <i>I</i>	ncludes calf pads.			£850		
ی	Lower Leg Extensions. From seat pan.	9″-15″		FOC	13"-21"		Standard		
CULATING	Foot Support Type.	Angle Adjustak	ole Flip-up. S	elect size below.			Standard		
. ARTICUI	Foot Support Size. Includes heel loops.	4"W x 6"D. 14" s widths and above		5″W x 7″D widths and		6"W x 8"D. 18" seat widths and above.	FOC		
EVATING	Accessories.	Wheel Bumper	S	£10	Gel Padded	d Knee Adductors	£60		
ELEY	Powered Leg Support Operation Method.	Independent. <i>U</i>	ses 2 power op	otions.	Combined	. Uses 1 power option.	•		
LIMB SUP	Stealth Residual Limb Sup Includes a 60-90° Swing-away hanger for mounting.		LEFT	£300	Limb Support	t £300	RIGHT		

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. UHB3D33200 / CP08CCFPM.	£322
UniLink 10" Comfort Plus. UHB3D33200 / CP10CCFPM.	£322
UniLink 14" Comfort Plus. UHB3D33200 / CP14CCFPM.	£322
UniLink 14" Adjustable Comfort Plus. UHB3D33200 / ACP150M.	£434


Please visit stealthproducts.com for alternative head supports.

STEALTH TRUNK SOLUTIONS



*STD = Standard option.

STEALTH PELVIC & THIGH SOLUTIONS



Please visit stealthproducts.com for alternative lateral, pelvic & lower extremity solutions *STD = Standard option

QLNES Controls. With r	no power options.				St	andard		
QLNES Controls. 3 pow	QLNES Controls. 3 power option ready.							
VR2 Controls. With no p	R2 Controls. With no power options.							
VR2 Controls. 2 power of	option ready.					£125		
	Hand Control. Select position in Hand Control Mounts below.							
Control Method.	Attendant Control. H	and control mou	ınted at rear.			£100		
	Dual Controls. Hand o	ontrol and secor	ndary attendant control (at rear.		£430		
(PANDABLE CON	TROLS							
Q-Logic 3e Controls. I	No power options.					£300		
Q-Logic 3e Controls. 3	3 power option ready.					£350		
Q-Logic 3e Controls.	5 power option ready.					£500		
Q-Logic 3 EX Controls	S. No power options. Includes	free XLR Charge	r Port.			£350		
Q-Logic 3 EX Controls	5. 3 power option ready. Inclu	des free XLR Cha	rger Port.			£375		
Q-Logic 3 EX Controls	5. 5 power option ready. Inclu	des free XLR Cha	rger Port.			£550		
Q-Logic 3 Enhanced [Display. <i>Includes 2 egg switc</i>	hes & flexible dis	play mount. Not availab	le with 3e contr	rols.	£1,074		
SCIM Module Kit. Allo	ws Q-Logic 3 EX joystick displ	ay to be used for	speciality controls. Not a	vailable with 3	e controls.	£316		
R-Net Controls. <i>No power</i>	er option ready.					£55		
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Or		in Hand Contro	l Mounts below.	ter remote with		£550 £1,074 tandard		
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Method	er option ready. des 2 egg switches & flip-dow and Control. Select position	in Hand Control	l Mounts below. or Omni 2 is used as mas	ter remote with		£550 £1,074 tandard		
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Method. At	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often se tendant Control. Hand control ual Controls. Hand control	in Hand Control Plected when ED ntrol mounted a	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear.			£550 £1,074 tandard -£100 £100 £430		
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Method. At	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often se tendant Control. Hand control ual Controls. Hand control	in Hand Control Plected when ED ntrol mounted a	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear.		n special device. Ilternative control options su joysticks, head arrays &			
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Method. At Du	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often se tendant Control. Hand control ual Controls. Hand control	in Hand Control Plected when ED ntrol mounted a	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear.		n special device. Ilternative control options su joysticks, head arrays &	£550 £1,074 tandard -£100 £100 £430 ch as min switches		
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Method. At Du AND CONTROL M Fixed. Swing-away.	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often se tendant Control. Hand control ual Controls. Hand control	in Hand Controlelected when ED ntrol mounted a and secondary a	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr		n special device. Ilternative control options su joysticks, head arrays &	£550 £1,074 tandarc -£100 £100 £430 ch as mirr switches		
R-Net Controls. 5 power Omni 2 Displays. Inclu Ha Control Method. At Du AND CONTROL M Fixed. Swing-away.	er option ready. Ides 2 egg switches & flip-down and Control. Select position mit Hand Control. Often se tendant Control. Hand con ual Controls. Hand control UNTS	in Hand Controlelected when ED ntrol mounted a and secondary a	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr		n special device. Ilternative control options su joysticks, head arrays &	£550 £1,074 tandard -£100 £100 £430 ch as min switches		
R-Net Controls. 5 power Omni 2 Displays. Inclu HacControl Method. At Du AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position.	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand control of Country Swings in & out with height	in Hand Controlelected when ED ntrol mounted and secondary and secondary and the secondary and pict, tension and pi	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr	oducts.com for a	n special device. Ilternative control options su joysticks, head arrays &	£550 £1,074 tandard -£100 £100 £430 ch as min switches tandard £75 £100		
R-Net Controls. 5 power Omni 2 Displays. Inclu Haccontrol Method. AND CONTROL M Fixed. Swing-away. Advanced Swing-awa	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand control of Country Swings in & out with height Left	in Hand Controlelected when ED ntrol mounted and secondary and secondary and secondary and pict, tension and pict.	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr	oducts.com for a	Ilternative control options su joysticks, head arrays &	£550 £1,074 tandard -£100 £100 £430 ch as mirr switches tandard £75 £100		
R-Net Controls. 5 power Omni 2 Displays. Inclu Haccontrol Or Method. At Du AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position. Hand Control	er option ready. des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand control of the co	elected when ED ntrol mounted ac and secondary a ot, tension and pi FOC STD	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr ivot adjustment. Right S T-Bar	oducts.com for a tandard £35	olternative control options sur joysticks, head arrays & St	£550 £1,074 tandard -£100 £100 £430 ch as mirr switches tandard £100 £100		
R-Net Controls. 5 power Omni 2 Displays. Inclu Haccontrol Method. At Du AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position. Hand Control Joystick Handle.	des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand	nin Hand Control elected when ED ntrol mounted ar and secondary a nt, tension and pi FOC STD £35 £35	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr ivot adjustment. Right S T-Bar Medium Ball	tandard £35 £35	Ilternative control options su joysticks, head arrays & St Extended I-Handl 3" Goal Post	£550 £1,074 tandard -£100 £100 £430 ch as mirr switches tandard £100 £100 £100		
R-Net Controls. 5 power Omni 2 Displays. Inclu HacControl Method. AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position. Hand Control Joystick Handle.	er option ready. Ides 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand controls. Han	in Hand Control elected when ED introl mounted at and secondary a int, tension and pi FOC STD £35 £35	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr ivot adjustment. Right S T-Bar Medium Ball	tandard £35 £35	Extended I-Handl 3" Goal Post 4" Goal Post	£550 £1,074 tandard -£100 £100 £430 ch as mirr switches tandard £100 £100 £100		
R-Net Controls. 5 power Omni 2 Displays. Inclu HacControl Method. AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position. Hand Control Joystick Handle.	des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand	in Hand Control elected when ED introl mounted at and secondary a int, tension and pi FOC STD £35 £35	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr ivot adjustment. Right S T-Bar Medium Ball	tandard £35 £35	Extended I-Handl 3" Goal Post 4" Goal Post	£550 £1,074 tandard -£100 £100 £430 ch as mirr switches tandard £750 £50 £50		
R-Net Controls. 5 power Omni 2 Displays. Inclu Haccontrol Method. AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position. Hand Control Joystick Handle. PEED PROGRAM 8 4 Mph Program. Lights	des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand controls. Standard Carrot and Controls. Hand controls and Control	in Hand Control elected when ED introl mounted at and secondary a int, tension and pi FOC STD £35 £35	I Mounts below. or Omni 2 is used as mas t rear. ttendant control at rear. Please visit stealthpr ivot adjustment. Right S T-Bar Medium Ball	tandard £35 £35	Extended I-Handl 3" Goal Post 4" Goal Post	£550 £1,074 tandard -£100 £100 £430 ch as mirr switches tandard £75 £100 e £35 £50		
R-Net Controls. 5 power Omni 2 Displays. Inclu HacControl Method. AND CONTROL M Fixed. Swing-away. Advanced Swing-awa Mounting Position. Hand Control Joystick Handle. PEED PROGRAM 8 4 Mph Program with 1 6 Mph Program with 1	des 2 egg switches & flip-down and Control. Select position mit Hand Control. Often settendant Control. Hand control and Controls. Hand controls. Standard Carrot and Controls. Hand controls and Control	in Hand Control elected when ED introl mounted at and secondary a int, tension and pi FOC STD £35 £35	I Mounts below. or Omni 2 is used as masst rear. ttendant control at rear. Please visit stealthpr ivot adjustment. Right S T-Bar Medium Ball Soft Ball	tandard £35 £35	Extended I-Handl 3" Goal Post 4" Goal Post	£550 £1,074 tandard -£100 £430 ch as mir switche: tandard £79 £100 £50 £50		

ACCESSORIES

Scoot Control System for Q-Logic 3 (SUBD9). Includes Scoot mounting hardware and Q-accessory bar. SCIM or Enhanced Display required to connect.	£3245
Scoot Control System for R-Net. <i>Includes Scoot mounting hardware and Q-accessory bar. Connects to the bus.</i>	£2955
USB Mobile Device Charger. Only available with QLNES and Q-Logic 3.	£110
Cup Holder.	£20
Personal Item Hook (each). Not with back cane option.	£15
Mobile Phone Holder. Only with TB3 arm supports.	£40
Back Pack Holders. Not with back cane option.	£30
Clothes Guards. Only with TB3 arm supports.	£100
Glove Box. Supplied uninstalled.	£30
Hydration System.	£125
Oxygen Holder.	£50
Quick Release Transfer Bars.	£125
Stealth Tablet Holder.	£342
Push Handles. Not with back cane option.	£50
Accessory Bar.	£50
Back-up Camera with Gooseneck Mount. Mounted on opposite arm to hand control. Only available with QLNES and Q-Logic 3.	£300
Back-up Camera with Hand Control Mount. Mounted to the front of the hand control. Only available with QLNES and Q-Logic 3.	£300
Quantum Back Pack.	£110
Additional XLR USB Charger Port.	£17
Magnetic to XLR Charger Adapter. Only available with QLNES and Q-Logic 3e.	£49
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£379
Remote Stop Switch. Only available with QLNES and Q-Logic 3. Operates up to 20 feet behind the powerchair.	£450

NOTES & SPECIAL REQUESTS

PRICE

EDGE 3 STRETTO WITH TB3 SEATING

QUANTUM



BASE PRICE

£6,550

COST OPTIONS

TOTAL



32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk

RETAIL UK - 01/11/25 V2









