



RETAIL UK

OUTBACK WITH TB3 SEATING

DEALERS DETAILS		DELIVERY DETAILS
Dealers Name		Dealers Address
Order Date		
Address		
	Postcode	Postcode
Phone	Email	Quantum Specialist
PO No	Order Ref	① Clients Weight

BASE MODEL

6 Colour Options
Height Adjustable Arm Supports
Centre Mount Foot Platform
TRU-Balance 3 Seating
15" Pneumatic Drive Tyres
4 Motor Independent Drive

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£15,950

SRS Suspension System
Q-Logic 3e Control System
2 x 95 ah Batteries
6 Mph (9.65 Km/h) 4-Pole Motors
Max User Weight: 21st 6 lbs (136 kg)

COLOURS

-	
Cadet Matte	Standard
Tan Matte	FOC
Desert Camo	£150
Black Camo	£150
White Camo	£150









Please download our free PQ-365 app to view colours and other product features in more detail.

SEAT PACKAGES - SEAT WIDTH

	16"-20"W.	
	20"-22"W.	
S	et width at:	

SEAT PACKAGES - SEAT DEPTH

	16"-18"D.	
	19"-22"D.	
Se	et depth at:	

	Mill Polection, Positioning, + way stict	ch Coolcore Cover. 158.7 Kg	weight limit.	Standar
No Seat Cushion Requ	uired			FO
Zen SP: Skin Protectio	on, 4-way Stretch, Coolcore Cover. 160 K	g weight limit.		FO
Glacial SP: Skin Protec	ction, 4-way Stretch, Coolcore Cover. 15	8.7 Kg weight limit.		£12
Solution SPP: Skin Prc	otection, Positioning, 4-way Stretch, Co	olcore Cover, Urethane Line	r. 158.7 Kg weight limit.	£12
Essence SPP: Skin Pro	tection, Positioning, 4-way Stretch, Coo	olcore Cover. 158.7 Kg weight i	imit.	£14
Premiere P: Positionin	ng, 4-way stretch, Coolcore cover. 158.71	Kg weight limit.		£14
	Skin Protection, Positioning, 4-way Stre		nne Liner. 158.7 Kg weight lir	nit. £20
Spectrum Gel SPP: Sk	in Protection, Positioning, 4-way Stretc	h, Coolcore Cover, Urethan	e Liner. <i>158.7 Kg weight limit</i>	£20
EAT POSITIONING	i		not be available in all width and dept o our Stealth Cushion Order Forms for	
TRU-Balance 3 Power	ed Seat Tilt. 0° to 50° COG tilt. Uses 1 power of	option.		Standar
10" Powered HD Seat	Lift & Tilt. 10" lift & 50° tilt. Up to 3.2 Mph dri	ve speed while elevated. Uses 2 p	oower options.	£195
Powered Tilt Seat to Flo	or Height. From seat pan.	19"	20"	21"
Powered HD Lift & Tilt S	eat to Floor Height From seat pan.	19.5″	20.5"	21.5″
TRU-Balance 3 Back S	upport System. Select TB3 back options be	low. Ignore all 'Back Cane' option	15.	Standa
TDU Palanco 2 Pack C	upport System Calast TD3 hade antique ha	land language all (Dagle Canal anti-		Ctanda
	em. Not available with Power recline or TB3 flip-back arms			FC
Buck curies only syste		Select one option above. Both options al		
	Support with Padded Back Cushion and		ack Support Dimensions	Standa
Omit TB3 Back Suppo	ort. Includes omit of TRU-Comfort 2 back cush	ion and lateral wedges.		-£5
9 1				
· · · · · · · · · · · · · · · · · · ·	Closes gap between back support and seat pa			
· · · · · · · · · · · · · · · · · · ·	Closes gap between back support and seat partace Plate. SSAPTB4. For mounting third part		em. Not required for Q-Back 2	
Stealth Adapter Interf		y back supports to TB3 back sys	em. Not required for Q-Back 2	2. £35
Stealth Adapter Interf ADI Q-Back 2. Skin prot	face Plate. SSAPTB4. For mounting third part	y back supports to TB3 back sys	em. Not required for Q-Back 2	2. £35
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation.	y back supports to TB3 back sys	em. Not required for Q-Back 2	2. £35
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation.	y back supports to TB3 back sys directly to TB3 system.	em. Not required for Q-Back 2	2. £35 PO
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r 33 BACK SUPPOR TRU-Balance 3 Static E	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas st.	y back supports to TB3 back system. directly to TB3 system. rut within back cover.		PO
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. ET POSTIONING Back. 85° to 105° angle adjustment via gas streward Back. Not suitable for occupied transport.	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm		PO Standar
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r 33 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powere	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas st rward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction.	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm		PO Standar £15
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-fo TRU-Balance 3 Powers ACK CANE ONLY S	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. AT POSTIONING Back. 85° to 105° angle adjustment via gas st. rward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option.	supports or powered recline.	£35 PO Standar £15
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Powere ACK CANE ONLY S Active Contour Back S	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas streward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option.	supports or powered recline.	Standar £15 £70
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static E TRU-Balance 3 Flip-for TRU-Balance 3 Powere ACK CANE ONLY S Active Contour Back S Privacy Flap. 12.75"W. 0	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas streward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat pa	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. d Wedge Inserts. Select size in Back.	supports or powered recline.	Standar £15 £70 Standar
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powers ACK CANE ONLY S Active Contour Back S Privacy Flap. 12.75"W. C ADI Back Support. Skin	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas st. rward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat part protection, 4 way stretch, Coolcore cover. Mo	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. d Wedge Inserts. Select size in Back.	supports or powered recline.	Standar £15 £70 Standar
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powers ACK CANE ONLY S Active Contour Back S Privacy Flap. 12.75"W. C ADI Back Support. Skin	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas streward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat part part number here for quotation.	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. d Wedge Inserts. Select size in Back arm punts to canes with cane clamps	supports or powered recline.	Standar £15 £70 Standar £5
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powers ACK CANE ONLY S Active Contour Back S Privacy Flap. 12.75"W. C ADI Back Support. Skin	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas st. rward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat part protection, 4 way stretch, Coolcore cover. Mo	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. d Wedge Inserts. Select size in Back arm punts to canes with cane clamps	supports or powered recline.	Standar £15 £70 Standar £5
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powere ACK CANE ONLY S Active Contour Back S Privacy Flap. 12.75"W. C ADI Back Support. Skin Enter ADI Back Support Back Cane Only	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. RT POSTIONING Back. 85° to 105° angle adjustment via gas streward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat part part number here for quotation.	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. d Wedge Inserts. Select size in Back arm punts to canes with cane clamps "" increments.	supports or powered recline.	2. £35 PO
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powere ACK CANE ONLY Active Contour Back S Privacy Flap. 12.75"W. C ADI Back Support. Skin Enter ADI Back Support	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. TPOSTIONING Back. 85° to 105° angle adjustment via gas strivard Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat part part number here for quotation. Tool Angle Adjustable. 85° to 120° in 5	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. I Wedge Inserts. Select size in Back arm pounts to canes with cane clamps or increments. for occupied transport or with E	supports or powered recline. Support Dimensions.	Standar £15 £70 Standar
Stealth Adapter Interf ADI Q-Back 2. Skin prot Enter ADI Q-Back 2 part r B3 BACK SUPPOR TRU-Balance 3 Static B TRU-Balance 3 Flip-for TRU-Balance 3 Powere ACK CANE ONLY S Active Contour Back S Privacy Flap. 12.75"W. C ADI Back Support. Skin Enter ADI Back Support Back Cane Only Support	face Plate. SSAPTB4. For mounting third part tection, 4 way stretch, Coolcore cover. Mounts number here for quotation. TPOSTIONING Back. 85° to 105° angle adjustment via gas st. rward Back. Not suitable for occupied transport. ed Recline. 85° to 175° with sheer reduction. SUPPORT Support with Padded Back Cushion and Closes gap between back support and seat part part number here for quotation Tool Angle Adjustable. 85° to 120° in 5 Flip-forward Back Canes. Not suitable	y back supports to TB3 back system. directly to TB3 system. rut within back cover. Not available with TB3 flip-back arm Uses 1 power option. d Wedge Inserts. Select size in Back arm pounts to canes with cane clamps or increments. for occupied transport or with Educes back width by 2". Minimur	n supports or powered recline. K Support Dimensions. Indo mounts. In seat width 12".	Standar £15 £70 Standar £20

BACK SUPPORT DIMENSIONS

Back width must be within +/- 4" of seat width when TB3 Back Support has been selected, and must match the seat width when the Back Canes Only option has been selected. The only exception is when the 2" or 4" Endo mounts have been selected, in which case the back can be 2" or 4" narrower than the seat width.

Rackrest Sunn	ort	Width Package.	12"-14"W.	14"-16"W.	16"-20"W.	18"-22"W.
васкі езі зирр	011	widti i ackage.	20"-24"W.			
Back Support		12″W.	14″W.	15″W.	16″W.	17"W.
Width.		18″W.	19″W.	20″W.	21″W.	22″W.
Back		14"H.	15"H.	16"H.	17"H.	18"H.
Support		19″H.	20″H.	21″H.	22″H.	23″H.
Height. From seat		24″H.	25″H.	26″H.	27″H.	28"H.
pan.		29″H.	30″H.	31″H.	32″H.	

19" minimum backrest height when powered recline is selected.

BACK WIDTH STATIC SEAT OR POWER TILT BACK WIDTH POWER RECLINE

	12"\	N	1	4″\	v	15	″W	1	16"	w	17′	'W	1	8″V	V	19	w"	2	0″۱	V	21	″W	22	″W
14"H		T																						
15″H	Ī	Т																						
16″H	S		S		T	S	T	S		T	S	Т	S		T	S	Т	S		T	S	Т	S	T
17″H	S		S		T	S	T	S		T	S	Т	S		T	S	T	S		T	S	T	S	T
18″H		1	S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	T
19″H		1	S	Q	T	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Т
20″H			S	Q	T	S	T	S	Q	T	S	Т	S	Q	Т	S	T	S	Q	T	S	T	S	T
21″H		1	S	Q	T	S	T	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Т
22″H		1	S	Q	T	S	T	S	Q	Т	S	Т	S	Q	Т	S	T	S	Q	Т	S	T	S	Т
23″H		1	S		Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Т
24″H			S		T	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Т
25″H		1	S		T	S	T	S	Q	T	S	Т	S	Q	Т	S	T	S	Q	T	S	T	S	T
26″H		1	S		Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Т
27″H		1	S		T	S	T	S		Т	S	T	S		Т	S	T	S		T	S	T	S	Т
28″H		1	S		T	S	T	S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S	Т
29″H		1	S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	T
Back Type. Tru-Comfort 2																								

	12″W	1	4″۱	N	15	"W	•	16"	W	17	'W	1	8″V	V	19	"W	2	0″۱	V	21	″W	22	."
19″H	S	S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	
20″H	S	S		T	S	T	S		T	S	T	S		T	S	T	S		T	S	T	S	ļ
21″H		S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S	
22″H		S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	Т	S	Q	Т	S	T	S	İ
23″H		S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	Q	T	S	T	S	
24"H		S	Q	Т	S	T	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	İ
25″H		S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	
26"H		S		Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	
27″H		S		T	S	T	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	
28"H		S		Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	
29″H		S		Т	S	Т	S	Q	т	S	Т	S	Q	Т	S	Т	S	Q	Т	S	Т	S	
30″H		S		T	S	T	S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S	
81″H		S		T	S	T	S		T	S	Т	S		Т	S	Т	S		T	S	Т	S	
32″H		S		Т	S	T	S		Т	S	Т	S		Т	S	Т	S		Т	S	Т	S	

ADI/Q-Back 2

ARM SUPPORTS

Single F	ost	Drop-in Removable. <i>Adjustn</i>	nent rang	e 11	″-17″ from seat pan.			Sta	ndard			
2-Post F	lip-u	ıp Removable. <i>Adjustment ra</i>	ange 9″ to	13"	from seat pan.				£279			
Paediatric Single Post Drop-in Removable. Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.												
HD Heig	ght A	Adjustable, Removable. <i>Inclu</i>	ıdes HD arı	т рас	ds. Do not select arm pads below.	8	3″-12″ H.	10″-14″ H.	£220			
TB3 Flip	-bac	k. Adjustment range 8″-16″ fro	m seat pa	ın. In	cludes lateral in/out adjustment.				£350			
Down P	osts	for TB3 Flip-back. Only with	TB3 Flip-l	back	arm supports. Minimum seat/bac	ck width 1	6".		£100			
Arm		10" Standard Not available with HD arms.	STD		10″ Falcon Gel	£40	10"Waterfa	Not available with TB Flex or HD arms.	FOC			
Support		14" Standard Not available with HD arms.	FOC		14″ Falcon Gel	£40	14" Waterfa	Not available with TB Flex or HD arms.	FOC			
Pads.		TB3 only. Minimu 17" Standard. seat depth 16".	^m £50		Falcon Gel Mounting Plate	S. Required t	or 2-post, Single Post &	Paediatric arm supports	£40			

Sport Back

BASIC CENTRE MOUNTED LEG SUPPORTS


Basic Centre Mount Fo	ot Platform.	Standard
Lower Leg Extensions. From seat pan.	8"-10". FOC 10"-14". Standard 14"-19".	FOC
Split Footplates.	10″W x 9″D.	Standard
Calf Support.	Individual Calf Pads. 6"W x 6"H.	Standard
сан эцрогс	Individual Large Calf Pads. 6"W x 8"H. Only available with 14"-19" lower extensions.	FOC
Footplate Accessories.	Footplate Connector.	£10

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

POWERED CENTRE MOUNTED LEG SUPPORTS

Power Elevating Articu	ulatin	g Centre Mount Foot Platform. <i>U</i>	ses 1 power op	tion.		£950
Lower Leg Extensions. From seat pan.		11"-17".	14″-20″.	Standard		
Split Footplates.		10"W x 8"D.	FOC		10"W x 11"D.	Standard
Calf Support.		Individual Calf Pads. 6"W x 6"H.	Standard \langle		Small Calf Panel. 18"W x 8"H.	£43
Can Support.		Individual Large Calf Pads. 6"W x 8"H.	FOC		Large Calf Panel. 24"W x 8"H. Only available with seat widths 20"-22".	£85
		Reverse Dartex Calf Pad Covers	. £42		Reverse Dartex Calf Panel Cover.	£62
		4" Width Extension Kit. Not avail	able with 2″ ler	ngth k	it or 10″W x 6″D footplates.	£16
Footplate		2" Length Extension Kit. Not ava	ilable with 4" w	idth k	it or 10″W x 6″D footplates.	£16
Accessories.		Footplate Connector.	£10		Outer Edge Supports.	£10
***************************************		Wheel Bumpers.	£10		tain configurations may result in reduced gro low footplates. Contact Quantum Technical fo	

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS



STEALTH TRUNK SOLUTIONS Lateral Thoracic Swing-away Hardware. £444 Additional 1.5" Link (each). £54 UniLink Thoracic Lateral Supports. 3" H x 5" L Curved Lateral Pad. £84 Additional 2" Link (each). £54 Supplied as a pair. 4" H x 6" L Curved Lateral Pad. £84 Additional 3" Link (each). £54 Extra Small £143 Classic STD* Dynamic STD* Vinyl Face FOC Structured FOC Zipper Face** FOC FOC Small £143 Contoured 4-Point Harness. £143 Medium Large £143 Extra Large £143

£91

£91

Small

Large

*STD = Standard option **Classic Only

Standard

£20

Side Release

Velcro Release

STEALTH PELVIC & THIGH SOLUTIONS

Chest Strap.

Extra Small £91

Extra Large £91

£91

Medium

STEALTH PELVIC 8	THIGH SOL	UTION	IS					
		£185	Uı	niLink Hip Guic	le Lo	ong Removable.	£185	
Unit into Think		£185	U	nilink Hip Guid	e Sh	ort Removable.	£185	
UniLink Thigh Supports.	LEFT	£51		4x4 Pelvi	c Th	igh Pad.	£51	RIGHT
		£51		£51				
		£51		£51				
***************************************		£163	••••••	Fixed Car	ne M	lounted.	£163	
		£170		Swing-Away	£179	DIGUT		
Knee Adductors.	LEFT	£38		3" Round	d Kn	ee Pad.	£38	RIGHT
	_	£38		4" Round	£38			
•	Auto Buckle	Lap Belt,	Push But	ton Release.	• • • • •	•••••	• • • • • • • • • • • • • • • • • • • •	Standard
	38".	<u> </u>		FOC		70".		FOC
Pelvic Belts.	50".			Standard		80″.		FOC
	60".			FOC		90″.		FOC
Retractable Lap Belt.	Push Button	n Release.	•••••	• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •	£169
***************************************	Extra Small	:	£84 /	Single Pull	• • • • •	Standard $ angle$	Side Relea:	se Standard
Positioning	Small	;	E84	Rear Pull		FOC	Push Butto	n FOC
2-Point Padded Pelvic Belt.	Medium	:	E84	Dual Pull		FOC		
Pelvic Beit.	Large	:	E84 \ _					
	Extra Large	:	£84					
Stealth Positioning	Extra Small	£143	Small	£143)		Push Button		Standard
4-Point Linear Padded Pelvic Belt, Single Pull.	Medium	£143	Large	£143		Side Release		£21
***************************************	Fixed Flip-de	own Harc	lware. мт	HW-660.	• • • • •	•••••	• • • • • • • • • • • • • • • • • • • •	£189
Medial Supports (Pommels).	Small Wedg	e. <i>MTMD</i> -1	12M.	£108		Medium Wedge.	MTMD-13M.	£108
	Large Wedg	e. MTMD-	14M.	£108		Adjustable Wedg	e. <i>MTMD-42M</i> .	£209
•••••		• • • • • • • • • • • • • • • • • • • •	DIA	assa visit staalthar	duct	s com for alternative late	oral polyic & lower	over omity colutions

 $Please\ visit\ steal th products. com\ for\ alternative\ lateral,\ pelvic\ \&\ lower\ extremity\ solutions.$

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. HMO475-17M / CP08CCFPM.	£230
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£230
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£230
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ ACP150M.	£342
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£92

Please visit stealthproducts.com for alternative head supports.

STEALTH ELBOW SOLUTIONS



STEALTH FOOT SOLUTIONS

	Small. 5"Wx8"Dx7"H. £3		£361
Stealth Foot Boxes (Pair).	Medium. 6"Wx10"Dx9"H.	£361	
		Large. 7"Wx12"Dx11"H.	£361
	Small Shoe Holder, 3/4" Webbing. IFSH4211	£81	
Stealth Shoe Holders (Pair).		Medium Shoe Holder, 3/4" Webbing. IFSH4212	£81
		Large Shoe Holder, 3/4" Webbing. IFSH4213	£81

EXPANDABLE CONTROLS

Q-Logic 3e and 3 EX hand controls are supplied with built-in Bluetooth. Q-Logic 3 Enhanced Display is supplied with built-in Bluetooth and Infrared.

	Q-Logic 3e Controls. 3 power option ready.	Standard
	Q-Logic 3e Controls. <i>5 power option ready.</i>	£500
	Q-Logic 3 EX Controls. 3 power option ready.	£375
	Q-Logic 3 EX Controls. 5 power option ready.	£550
	Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount. Not available with 3e controls.	£1074
	SCIM Module Kit. Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.	£316
•		

iAccess OLED 4 Button Switch Module.

Mounted to opposite armrest unless specified.
Supplied FOC when iLevel is selected

Fush Button iAccess
Toggle Lever iAccess

If iAccess is selected choose either Push Button or Toggle leaver option.

c	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£125
	Dual Controls. Hand control and secondary attendant control at rear.	£430

HAND CONTROL MOUNTS

	Fixed. Standard							ndard	
	Swing-away. £7.							£75	
	Advanced Swing-away. Swings in & out with height, tension and pivot adjustment. £10						£100		
Mounting Position.			Left	FOC		Right	Standard		
Hand Control Joystick Handle.			Standard Carrot	Standard		T-Bar	£25	Extended I-Handle	£25
			Mushroom	£25		Medium Ball	£25	3" Goal Post	£50
			Chin Cup	£25		Soft Ball	£25	4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

6 Mph Program with Lights and indicators. Standard

ACCESSORIES Supplied uninstalled.

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail	£110
Cup Holder.	£20
Mobile Phone Holder.	£40
Clothes Guards (Pair).	£100
Crutch/Cane Holder.	£170
Glove Box.	£30
Oxygen Holder.	£50
Transfer Handles.	£125
Stealth Tablet Holder.	£342
Large Black Weather Cover.	£125
Back-up Camera.	£300
Rear View Mirror.	£15
Quantum Back Pack.	£110
Additional XLR USB Charger Port.	£17
Magnetic to XLR Charger Adapter. Only with Q-Logic 3e.	£49
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if requested.	£379

NOTES & SPECIAL REQUESTS

PRICE

OUTBACK WITH TB3 SEATING



BASE PRICE

£15,950

COST OPTIONS

TOTAL



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk RETAIL UK - 01/04/25 V1









7