

Q6 EDGE HD WITH TB3 SEATING

DEALERS DETAILS

| | |
|--------------|-----------|
| Dealers Name | |
| Order Date | |
| Address | |
| | Postcode |
| Phone | Email |
| PO No | Order Ref |

DELIVERY DETAILS

| | |
|--------------------|----------|
| Dealers Address | |
| | |
| | |
| | Postcode |
| Quantum Specialist | |
| Clients Weight | |

BASE MODEL

£7,350

10 Colour Options
 Height Adj. Removable Arm Supports
 Flip-up Centre Mount Foot Platform
 Angle Adjustable Back Support
 Spectrum Foam SPP Seat Cushion
 14" Flat Free Drive Tyres
 2" x 6" Flat Free Front Castors



2" x 6" Flat Free Rear Castors
 ATX Suspension System
 Q-Logic 3e Control System
 2 x 70 ah Batteries
 4 Mph (6 Km/h) Motors
 Max User Weight:
 32 st 2lbs. (204 kg)

Standard = Standard Factory Feature
 FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

| | |
|--|----------|
| 3" x 14" Flat Free Charcoal Tyres. | Standard |
| 3" x 14" Pneumatic Charcoal Tyres. | FOC |
| 4" x 14" Pneumatic Charcoal Tyres, Knobby, Extended Traction. <i>Increases overall base width by 1.5".</i> | £220 |
| 4" x 14" Flat Free Charcoal Tyres, Knobby, Extended Traction. <i>Increases overall base width by 1.5".</i> | £320 |

COLOURS

| | | | |
|---------------|----------|-------------------|------|
| Back in Black | Standard | Pretty in Pink | FOC |
| Night Train | FOC | Evolution Orange | FOC |
| Electric Blue | FOC | Grey Street | FOC |
| Midnight Blue | FOC | Green Machine | FOC |
| Deep Purple | FOC | Custom Hydro Dip* | £600 |
| Red Corvette | FOC | | |

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

| | |
|------------------------------------|----------|
| <input type="checkbox"/> | 20"-24"W |
| <input type="checkbox"/> | 24"-28"W |
| <input type="checkbox"/> | 28"-32"W |
| Set width at: <input type="text"/> | |

SEAT PACKAGES - SEAT DEPTH

| | |
|------------------------------------|----------|
| <input type="checkbox"/> | 20"-25"D |
| Set depth at: <input type="text"/> | |

STEALTH SEAT CUSHIONS

| | | |
|--------------------------|---|-----|
| <input type="checkbox"/> | No Seat Cushion Required | FOC |
| <input type="checkbox"/> | Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>226.7 Kg weight limit.</i> | STD |
| <input type="checkbox"/> | TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>204 Kg weight limit.</i> | FOC |
| <input type="checkbox"/> | Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>340 Kg weight limit.</i> | FOC |

Please note that seat cushions may not be available in all width and depth combinations.
Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

| | | |
|--|---|--------------------------------|
| <input type="checkbox"/> | Static Seat. | Standard |
| <input type="checkbox"/> | HD Powered Seat Tilt. <i>0° to 50°. Uses 1 power option.</i> | £1600 |
| <input type="checkbox"/> | HD Powered iLevel 10" Lift & Tilt. <i>10" lift & 50° tilt. Up to 3.5 mph drive speed while elevated. 28.5 Stone weight capacity. Maximum seat size 24"W x 24"D. Uses 2 power options. Not available with R-Net.</i> | £2250 |
| Static Seat to Floor Height. <i>From seat pan.</i> | | |
| <input type="checkbox"/> | 16.5" | <input type="checkbox"/> 17.5" |
| HD Tilt Seat to Floor Height. <i>From seat pan.</i> | | |
| <input type="checkbox"/> | 18.5" | <input type="checkbox"/> 19.5" |
| HD Lift & Tilt Seat to Floor Height. <i>From seat pan.</i> | | |
| <input type="checkbox"/> | 18.5" | <input type="checkbox"/> 19.5" |

BACKREST SPECIFICATIONS

| | | |
|--------------------------|---|----------|
| <input type="checkbox"/> | TRU-Balance 3 Back Support System. <i>Select TB3 back options below. Ignore all 'Back Cane' options.</i> | Standard |
| <input type="checkbox"/> | Back Canes Only System. <i>Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.</i> | FOC |

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

| | | |
|--------------------------|--|----------|
| <input type="checkbox"/> | Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i> | Standard |
| <input type="checkbox"/> | Omit TB3 Back Support. <i>Includes omit of TRU-Comfort 2 back cushion and lateral wedges.</i> | -£50 |
| <input type="checkbox"/> | Privacy Flap. <i>12.75"W. Closes gap between back support and seat pan.</i> | £50 |
| <input type="checkbox"/> | Stealth Adapter Interface Plate SSAPT4. For mounting third party back supports to TB3 back system. <i>Not required for Q-Back 2.</i> | £358 |
| <input type="checkbox"/> | ADI Q-Back 2. <i>Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.</i> | POA |

Enter ADI Q-Back 2 part number here for quotation.

TB3 BACK SUPPORT POSTIONING

| | | |
|--------------------------|---|----------|
| <input type="checkbox"/> | TRU-Balance 3 Static Back. <i>Angle can be preset manually.</i> | Standard |
| <input type="checkbox"/> | TRU-Balance 3 Flip-forward Back. <i>Not available with TB3 flip-back arm supports or powered recline.</i> | £150 |
| <input type="checkbox"/> | TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i> | £850 |

BACK CANE ONLY SUPPORT

| | |
|--|----------|
| Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i> | Standard |
| Omit TB3 Back Support. <i>Includes omit of TRU-Comfort 2 back cushion and lateral wedges.</i> | -£50 |
| Privacy Flap. <i>12.75"W. Closes gap between back support and seat pan.</i> | £50 |
| ADI Back Support. <i>Skin protection, 4 way stretch, Coolcore cover. Mounts to canes with cane clamps.</i> | POA |
| Enter ADI Back Support part number here for quotation | |

| | | | | | | |
|--|--|-------|-------|-------|-------|----------|
| Back Cane Only Support Positioning. | Tool Angle Adjustable. <i>85° to 120° in 5° increments.</i> | | | | | Standard |
| | Flip-forward Back Canes. <i>Not suitable for occupied transport or with Endo mounts.</i> | | | | | £200 |
| | 2" Endo Cane Mounts. <i>1" each side. Reduces back width by 2".</i> | | | | | £40 |
| | 4" Endo Cane Mounts. <i>2" each side. Reduces back width by 4".</i> | | | | | £40 |
| Back Cane Height. <i>From seat pan.</i> | 16"H. | 17"H. | 18"H. | 19"H. | 20"H. | |
| | 21"H. | 22"H. | 23"H. | 24"H. | 25"H. | |

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected. 19" minimum back support height when powered recline is selected.

| | | | | |
|---------------------------------|-----------|-----------|-----------|-----------|
| Backrest Support Width Package. | 16"-20"W. | 20"-24"W. | 24"-28"W. | 28"-32"W. |
|---------------------------------|-----------|-----------|-----------|-----------|

BACK WIDTH STATIC SEAT OR POWER TILT

| | 18" | 19" | 20" | 21" | 22" | 24" | 26" | 28" | 30" |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 16" | T | T | T | T | T | T | T | T | |
| 17" | T | T | T | T | T | T | T | T | |
| 18" | T | T | T | T | T | T | T | T | |
| 19" | T | T | T | T | T | T | T | T | |
| 20" | T | T | T | T | T | T | T | T | |
| 21" | T | T | T | T | T | T | T | T | T |
| 22" | T | T | T | T | T | T | T | T | S |
| 23" | T | T | T | T | T | T | T | T | S |
| 24" | T | T | T | T | T | T | T | T | S |
| 25" | T | T | T | T | T | T | T | T | S |

| | | | |
|---|---------------|---|------------|
| T | Tru-Comfort 2 | S | Sport Back |
|---|---------------|---|------------|

BACK WIDTH POWER RECLINE

| | 18" | 19" | 20" | 21" | 22" | 24" | 26" | 28" | 30" |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 16" | | | | | | | | | |
| 17" | | | | | | | | | |
| 18" | | | | | | | | | |
| 19" | T | T | T | T | T | T | T | T | |
| 20" | T | T | T | T | T | T | T | T | |
| 21" | T | T | T | T | T | T | T | T | |
| 22" | T | T | T | T | T | T | T | T | |
| 23" | T | T | T | T | T | T | T | T | T |
| 24" | T | T | T | T | T | T | T | T | T |
| 25" | T | T | T | T | T | T | T | T | S |
| 26" | T | T | T | T | T | T | T | T | S |
| 27" | T | T | T | T | T | T | T | T | S |
| 28" | T | T | T | T | T | T | T | T | S |

ARM SUPPORTS

| | | | | | | | | | | |
|--|---|-----|---|-----|---|-----|----------|-----|----------|----------|
| Height Adjustable, Removable, Heavy Duty. | | | | | | | Standard | | | |
| HD Removable Height Package. <i>From seat pan.</i> | | | | | | | 8"-12". | FOC | 10"-14". | Standard |
| TB3 Flip-back with Down Posts. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i> | | | | | | | £450 | | | |
| Arm Support Pads. | 10" Standard | STD | 10" Waterfall. <i>Not available with TB3 Flip-back.</i> | FOC | 10" Falcon Gel | £40 | | | | |
| | 14" Standard | FOC | | | 14" Falcon Gel | £40 | | | | |
| | 17" Standard. <i>TB3 only. Minimum seat depth 16"</i> | £50 | 14" Waterfall. <i>Not available with TB3 Flip-back.</i> | FOC | Falcon Gel Mounting Plates. <i>Required for HD Removable.</i> | £40 | | | | |

CENTRE MOUNTED LEG SUPPORTS

| | | |
|------------------------|---|---|
| | Base Mounted Flip-up Foot Platform. <i>Mounted to chassis. Will not move with powered lift or tilt.</i> | FOC |
| | Tool Adjustable Centre Mount Foot Platform. <i>Mounted to seat.</i> | Standard |
| | Power Elevating Articulating Centre Mount Foot Platform. <i>Mounted to seat. Uses 1 power option.</i> | £950 |
| | Power Elevating Articulating & Lower To Floor Centre Mount Foot Platform. <i>Mounted to seat. Only with Q-Logic 3. Lowers to the floor to aid standing transfers. Uses 2 power options.</i> | £1300 |
| | Lower Leg Extensions. <i>From seat pan.</i> | 10"-16" Standard 13"-19" FOC |
| Foot Supports. | 10"W x 8"D Split Foot Supports. FOC | 10"W x 11"D Split Foot Supports. Standard |
| Calf Support. | Individual Calf Pads. <i>6"W x 6"H.</i> Standard | Calf Panel. <i>18"W x 8"H.</i> £42 |
| | Individual Large Calf Pads. <i>8"W x 8"H tapering to 6"W.</i> FOC | Foam Calf Panel Cover. £62 |
| | Foam Calf Pad Covers. £42 | |
| | | |
| Footplate Accessories. | 4" Width Extension Kit. <i>Not available with 2" length kit or 10"W x 6"D footplates.</i> | £16 |
| | 2" Length Extension Kit. <i>Not available with 4" width kit or 10"W x 6"D footplates.</i> | £16 |
| | Footplate Connector. £10 | Outer Edge Supports. £10 |
| | Wheel Bumpers. | £10 |

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

| | | |
|------------------------|--|---|
| | 70° Heavy Duty, Drop-in, Swing-away Leg Supports. <i>Select lowers and footplates below.</i> | £360 |
| 70° HD | Lower Leg Extensions. <i>From seat pan.</i> | 8.5"-12" FOC 13"-18" Standard 16"-21" FOC |
| | Foot Support Type. | Angle & Depth Adjustable. <i>Select size below.</i> Standard |
| | Foot Support Size. | 6"W x 8"D Standard 6"W x 11"D FOC 8"W x 11"D FOC |
| | Accessories. | Wheel Bumpers £10 |
| | Manual Elevating Articulating Swing-away Leg Supports. <i>Includes calf pads.</i> | £700 |
| | Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i> | £850 |
| ELEVATING ARTICULATING | Lower Leg Extensions. <i>From seat pan.</i> | 9"-15" FOC 13"-21" Standard |
| | Foot Support Type. | Aluminium Angle & Depth Adjustable Flip-up. <i>Select size below.</i> Standard |
| | Foot Support Size. <i>Includes heel loops.</i> | 6"W x 8"D. FOC 6"W x 11"D. FOC 8"W x 11"D. FOC |
| | Accessories. | Wheel Bumpers £10 Gel Padded Knee Adductors £60 |
| | Powered Leg Support Operation Method. | Independent. <i>Uses 2 power options.</i> Combined. <i>Uses 1 power option.</i> |
| LIMB SUP | Stealth Residual Limb Support (each). <i>Includes a 60-90° Swing-away legrest hanger for mounting.</i> | LEFT £300 Limb Support £300 RIGHT |

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information. Adjustment ranges above are from seat pan to footplates. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

| | | |
|--|---|------|
| | UniLink 10" Comfort Plus. <i>UHB3D33200 / CP10CCFPM.</i> | £322 |
| | UniLink 14" Comfort Plus. <i>UHB3D33200 / CP14CCFPM.</i> | £322 |
| | UniLink 14" Adjustable Comfort Plus. <i>UHB3D33200 / ACP150M.</i> | £434 |

Please visit stealthproducts.com for alternative head supports.

STEALTH TRUNK SOLUTIONS

| | | | | | | | | | | | |
|--|-------------|---------------------------------------|------|-----------|------------------------------|----------------|------------|------|---|---------------|-----|
| UniLink Thoracic Lateral Supports. <i>Supplied as a pair.</i> | | Lateral Thoracic Swing-away Hardware. | £444 | | Additional 1.5" Link (each). | £54 | | | | | |
| | | 3" H x 5" L Curved Lateral Pad. | £84 | | Additional 2" Link (each). | £54 | | | | | |
| | | 4" H x 6" L Curved Lateral Pad. | £84 | | Additional 3" Link (each). | £54 | | | | | |
| 4-Point Harness. | Medium | £143 | } | Classic | STD* | } | Dynamic | STD* | } | Vinyl Face | FOC |
| | Large | £143 | | Contoured | FOC | | Structured | FOC | | Zipper Face** | FOC |
| | Extra Large | £143 | | | | | | | | | |
| Chest Strap. | Medium | | | £91 | } | Side Release | Standard | | | | |
| | Large | | | £91 | | Velcro Release | £20 | | | | |
| | Extra Large | | | £91 | | | | | | | |

*STD = Standard option

**Classic Only

*STD = Standard option **Classic Only

STEALTH PELVIC & THIGH SOLUTIONS

| | | | | | | |
|---|-------------|---|------------------------------------|-------------------------------|-------------|----------|
| UniLink Thigh Supports. | LEFT | £185 | UniLink Hip Guide Long Removable. | £185 | RIGHT | |
| | | £185 | Unilink Hip Guide Short Removable. | £185 | | |
| | | £51 | 4x4 Pelvic Thigh Pad. | £51 | | |
| | | £51 | 4x8 Pelvic Thigh Pad. | £51 | | |
| | | £51 | 4x12 Pelvic Thigh Pad. | £51 | | |
| Knee Adductors. | LEFT | £163 | Fixed Cane Mounted. | £163 | RIGHT | |
| | | £179 | Swing-away Track Mounted. | £179 | | |
| | | £38 | 3" Round Knee Pad. | £38 | | |
| | | £38 | 4" Round Knee Pad. | £38 | | |
| Pelvic Belts. | | Auto Buckle Lap Belt, Push Button Release. | | | Standard | |
| | | Retractable Lap Belt, Push Button Release. | | | £169 | |
| Stealth Positioning 2-Point Padded Pelvic Belt. | Large | £84 | Single Pull | Standard | Push Button | Standard |
| | Extra Large | £84 | Rear Pull | FOC | | |
| | | Dual Pull | FOC | | | |
| Stealth Positioning 4-Point Linear Padded Pelvic Belt, Single Pull. | Medium | £143 | Push Button | Standard | | |
| | Large | £143 | | | | |
| Medial Supports (Pommels). | | Fixed Flip-down Hardware. <i>MTHW-660M.</i> | £189 | Small Wedge. <i>MTMD-12M.</i> | £108 | |
| | | Medium Wedge. <i>MTMD-13M.</i> | £108 | Large Wedge. <i>MTMD-14M.</i> | £108 | |
| | | Adjustable Wedge. <i>MTMD-42M.</i> | £209 | | | |

Please visit stealthproducts.com for alternative lateral, pelvic & lower extremity solutions

EXPANDABLE CONTROLS

| | |
|--|----------|
| Q-Logic 3e Controls. <i>No power options.</i> | Standard |
| Q-Logic 3e Controls. <i>3 power option ready.</i> | £350 |
| Q-Logic 3e Controls. <i>5 power option ready.</i> | £500 |
| Q-Logic 3 EX Controls. <i>No power options.</i> | £350 |
| Q-Logic 3 EX Controls. <i>3 power option ready.</i> | £375 |
| Q-Logic 3 EX Controls. <i>5 power option ready.</i> | £550 |
| Q-Logic 3 Enhanced Display. <i>Includes 2 egg switches & flexible display mount. Not available with 3e controls.</i> | £1074 |
| SCIM Module Kit. <i>Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.</i> | £316 |

iAccess OLED 4 Button Switch Module.
*Mounted to opposite armrest unless specified.
 Supplied FOC when iLevel is selected.*

£300

Push Button iAccess

Toggle Lever iAccess

If iAccess is selected choose either
 Push Button or Toggle lever option.

| | | |
|-----------------|--|----------|
| | R-Net Controls. <i>No power options.</i> | £350 |
| | R-Net Controls. <i>5 power option ready.</i> | £550 |
| | Omni 2 Displays. <i>Includes 2 egg switches & flip-down display mount.</i> | £1,074 |
| Control Method. | Hand Control. <i>Select position in Hand Control Mounts below.</i> | Standard |
| | Omit Hand Control. <i>Often selected when ED or Omni 2 is used as master remote with special device.</i> | -£100 |
| | Attendant Control. <i>Hand control mounted at rear.</i> | £125 |
| | Dual Controls. <i>Hand control and secondary attendant control at rear.</i> | £430 |

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

| | | | | | | | | |
|-------------------------------|----------------------|---|-----------------|----------|--|-------------------|----------|----------|
| | Fixed. | | | | | | | Standard |
| | Swing-away. | | | | | | | £75 |
| | Advanced swing-away. | Chain driven. Swings in & out with height, tension, and pivot adjustment. | | | | | | £100 |
| Hand Control Joystick Handle. | Mounting Position. | | Left | FOC | | Right | Standard | |
| | | | Standard Carrot | Standard | | T-Bar | £35 | |
| | | | Mushroom | £35 | | Medium Ball | £35 | |
| | | | Chin Cup | £35 | | Soft Ball | £35 | |
| | | | | | | Extended I-Handle | £35 | |
| | | | | | | 3" Goal Post | £50 | |
| | | | | | | 4" Goal Post | £50 | |

SPEED PROGRAM & LIGHTS PACKAGE

| | |
|---|----------|
| 4 Mph Program. <i>Lights and indicators not included.</i> | Standard |
| 4 Mph Program with Lights and indicators. | £450 |
| Lights & Indicator Surcharge. <i>Required if no power options have been selected.</i> | £260 |

ACCESSORIES

| | |
|--|-------|
| Scoot Control System for Q-Logic 3 (SUBD9). <i>Includes Scoot mounting hardware and Q-accessory bar. SCIM or Enhanced Display required to connect.</i> | £3245 |
| Scoot Control System for R-Net. <i>Includes Scoot mounting hardware and Q-accessory bar. Connects to the bus.</i> | £2955 |
| USB Mobile Device Charger. <i>Only available with QLNEs and Q-Logic 3.</i> | £110 |
| Cup Holder. | £20 |
| Personal Item Hooks (each). <i>Not with back cane option.</i> | £15 |
| Mobile Phone Holder. <i>Only with TB3 arm supports.</i> | £40 |
| Back Pack Holders. <i>Not with back cane option.</i> | £30 |
| Clothes Guards. <i>Only with TB3 arm supports.</i> | £100 |

ACCESSORIES CONTINUED

| | |
|---|------|
| Glove Box. <i>Supplied uninstalled.</i> | £30 |
| Hydration System. | £125 |
| Oxygen Holder. | £50 |
| Quick Release Transfer Bars. | £125 |
| Stealth Tablet Holder. | £342 |
| Push Handles. <i>Not with back cane option.</i> | £50 |
| Accessory Bar. | £50 |
| Back-up Camera with Gooseneck Mount. <i>Mounted on opposite arm to hand control. Only available with QLNEs and Q-Logic 3.</i> | £300 |
| Back-up Camera with Hand Control Mount. <i>Mounted to the front of the hand control. Only available with QLNEs and Q-Logic 3.</i> | £300 |
| Quantum Back Pack. | £110 |
| XLR USB Charger Port. | £17 |
| Magnetic to XLR Charger Adapter. <i>Only available with QLNEs and Q-Logic 3e.</i> | £49 |
| Swing-Away Tray Table. <i>Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.</i> | £379 |
| Remote Stop Switch. <i>Only available with Q-Logic 3. Operates up to 20 feet behind the powerchair.</i> | £450 |

NOTES & SPECIAL REQUESTS

PRICE

Q6 EDGE HD WITH TB3 SEATING



BASE PRICE

£7,350

COST OPTIONS

TOTAL



Quantum®
32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
RETAIL UK - 01/11/25 V2

