

MOTABILITY ID 706574

4FRONT 2 HD WITH TB3 SEAT / POWER TILT / POWER RECLINE

DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone Email

PO No Order Ref

DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Ⓢ Clients Weight (required for suspension settings)

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- 14" Flat Free Drive Tyres
- 2" x 9" Flat Free Rear Castors



- SRS Suspension System
- Smart Traction Control
- Q-Logic 3e Control System
- 2 x 70 ah Batteries
- 4 Mph (6 Km/h) 4-Pole Motors
- Max User Weight: 32 st 14lbs. (204 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

<input type="checkbox"/>	3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	Standard
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Pretty in Pink	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Blue Jean	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC
<input type="checkbox"/>	Red Corvette	FOC	<input type="checkbox"/>	Raspberry Beret*	FOC

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

20"-24"W.
Set width at:

SEAT PACKAGES - SEAT DEPTH

20"-24"D.
Set depth at:

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>294 Kg weight limit.</i>	Standard
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>294 Kg weight limit.</i>	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>158.7 Kg weight limit.</i>	FOC
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC
Premiere P: Positioning, 4-way stretch, Coolcore cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

✓ TRU-Balance 3 HD Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i>	Standard			
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<table border="1"> <tr> <td>17.75"</td> <td>18.75"</td> <td>19.75"</td> </tr> </table>	17.75"	18.75"	19.75"
17.75"	18.75"	19.75"		

BACKREST SPECIFICATIONS

✓ TRU-Balance 3 Back Support System. <i>Select TB3 back options below. Ignore all 'Back Cane' options.</i>	Standard
Includes a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.	

TB3 BACK SUPPORT

✓ Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i>	Standard
--	----------

TB3 BACK SUPPORT POSTIONING

✓ TRU-Balance 3 HD Powered Recline. <i>85° to 175° with sheer reduction. Uses 1 power option.</i>	Standard
---	----------

BACK SUPPORT DIMENSIONS

Back Support can be +/- 4" of seat width

Backrest Support Width Package.	16"-20"W.	20"-24"W.	24"-28"W.
	28"-32"W		
Back Support Width.	16"W.	17"W.	18"W.
	20"W.	21"W.	22"W.
	26"W.	28"W.	
Back Support Height.	19"H.	20"H.	21"H.
	23"H.	24"H.	25"H.
<i>From seat pan.</i>	27"H.	28"H.	

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

Height Adjustable, Removable, Heavy Duty.				Standard
HD Removable Height Package. <i>From seat pan.</i>	8"-12"	FOC	10"-14"	Standard
TB3 Flip-back with Down Posts. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>				FOC
Arm Support Pads.	10" Standard	Standard	10" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC
	14" Standard	FOC	14" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC
	17" Standard. <i>TB3 only. Minimum seat depth 16".</i>	£50		

CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Centre Mount Foot Platform.				Standard
Lower Leg Extensions. <i>From seat pan.</i>	10"-16"	Standard	13"-19"	FOC
Footplates.	10"W x 8"D Split Footplates.	FOC	10"W x 11"D Split Footplates.	Standard
Calf Support.	Individual Calf Pads. <i>8"W x 6"H.</i>			Standard
	Calf Panel. <i>18"W x 8"H.</i>			FOC

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

70° Heavy Duty, Drop-in, Swing-away Leg Supports. <i>Select lowers and footplates below.</i>				FOC			
70° HD	Lower Leg Extensions. <i>From seat pan.</i>	8.5"-12"	FOC	13"-18"	Standard	16"-21"	FOC
	Footplate Type.	Angle & Depth Adjustable. <i>Select size below.</i>				Standard	
	Footplate Size.	6"W x 8"D	Standard	6"W x 11"D	FOC	8"W x 11"D	FOC
Heavy Duty, Manual Elevating, Swing-away Leg Supports. <i>Flip-up Extruded footplates 8.5"W x 6"D.</i>				FOC			
ELEVATING HD	Lower Leg Extensions. <i>From seat pan.</i>	11"-14"	FOC	14"-17"	Standard	12.5"-16.5"	FOC
		15.5"-19.5"	FOC				

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information. Adjustment ranges above are from seat pan to footplates. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

Please visit stealthproducts.com for alternative head supports.

PELVIC BELTS

✓ Auto Buckle Lap Belt, Push Button Release.	Standard
--	----------

EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	Q-Logic 3e Controls. <i>2 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
<input type="checkbox"/>	Basic Swing-away.	FOC
Mounting Position.	<input type="checkbox"/> Left	FOC
	<input type="checkbox"/> Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

<input checked="" type="checkbox"/>	4 Mph Program with Lights and indicators.	Standard
-------------------------------------	---	----------

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
MOTABILITY ID 706574 - 01/04/25 V1

