

4FRONT 2 - TB3 SEAT / POWER TILT / POWER FOOT SUPPORTS

DEALERS DETAILS

Dealers Name			
Order Date			
Address			
	Postcode		
Phone		Email	
PO No		Order Ref	

DELIVERY DETAILS

Dealers Address			
	Postcode		
Quantum Specialist			
Ⓢ Clients Weight (required for suspension settings)			

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- 14" Flat Free Drive Tyres
- 2" x 9" Flat Free Rear Castors



- SRS Suspension System
- Smart Traction Control
- Q-Logic 3e Control System
- 2 x 70 ah Batteries
- 6 Mph (9.65 Km/h) 4-Pole Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	Standard
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

Back in Black	Standard	Pretty in Pink	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Blue Jean	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC
Red Corvette	FOC	Raspberry Beret*	FOC

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

<input type="checkbox"/>	12"-16"W.
<input type="checkbox"/>	16"-20"W.
<input type="checkbox"/>	20"-22"W.
Set width at: <input type="text"/>	

SEAT PACKAGES - SEAT DEPTH

<input type="checkbox"/>	12"-16"D.
<input type="checkbox"/>	16"-20"D.
<input type="checkbox"/>	20"-22"D.
Set depth at: <input type="text"/>	

STEALTH SEAT CUSHIONS

<input type="checkbox"/>	No Seat Cushion Required	FOC
<input type="checkbox"/>	Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
<input type="checkbox"/>	Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	FOC
<input type="checkbox"/>	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

<input checked="" type="checkbox"/>	TRU-Balance 3 Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i>	Standard
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>		<input type="checkbox"/> 17.75" <input type="checkbox"/> 18.75" <input type="checkbox"/> 19.75"

BACKREST SPECIFICATIONS

<input type="checkbox"/>	TRU-Balance 3 Back Support System. <i>Include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts. Select TB3 back options.</i>	Standard
<input type="checkbox"/>	Back Canes Only System. <i>Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.</i>	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

<input checked="" type="checkbox"/>	Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i>	Standard
-------------------------------------	------------------------------------------------------------------------------------------------------------------------------	----------

TB3 BACK SUPPORT POSITIONING

<input type="checkbox"/>	TRU-Balance 3 Static Back. <i>Angle can be preset manually.</i>	Standard
<input type="checkbox"/>	TRU-Balance 3 Flip-forward Back. <i>Not available with TB3 flip-back arm supports or 12"-14"W seats.</i>	FOC

BACK CANE ONLY SUPPORT

<input type="checkbox"/>	Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions.</i>	FOC
Back Cane Only Support Positioning.	<input type="checkbox"/> Tool Angle Adjustable. <i>85° to 120° in 5° increments.</i>	Standard
Back Cane Height. <i>From seat pan.</i>	<input type="checkbox"/> 16"H. <input type="checkbox"/> 17"H. <input type="checkbox"/> 18"H. <input type="checkbox"/> 19"H. <input type="checkbox"/> 20"H.	
	<input type="checkbox"/> 21"H. <input type="checkbox"/> 22"H. <input type="checkbox"/> 23"H. <input type="checkbox"/> 24"H. <input type="checkbox"/> 25"H.	

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System.

Backrest Support Width Package.		12"-14"W.	14"-16"W.	16"-20"W.
		18"-22"W.	20"-24"W.	
Back Support Width.	12"W.	14"W.	15"W.	16"W.
	17"W.	18"W.	19"W.	20"W.
	21"W.	22"W.	23"W.	24"W.
Back Support Height. <i>From seat pan.</i>	14"H. <i>12"W back only.</i>	15"H. <i>12"W back only.</i>	16"H.	17"H.
	18"H.	19"H.	20"H.	21"H.
	22"H.	23"H.	24"H.	25"H. <i>Not available with 24"W back.</i>
	26"H. <i>Not available with 24"W back.</i>	27"H. <i>Not available with 24"W back.</i>	28"H. <i>Not available with 24"W back.</i>	

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan.</i>	Standard
Paediatric Single Post Height Adjustable. <i>Adjustment range 7.75" - 9.75" from seat pan. 10" pads only.</i>	FOC
Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan.</i>	FOC
TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment. Not available with back canes.</i>	FOC
Arm Support Pads.	10" Standard Standard 10" Waterfall. FOC
	14" Standard FOC 14" Waterfall. FOC

CENTRE MOUNTED LEG SUPPORTS

Power Elevating Articulating Centre Mount Foot Platform. <i>Uses 1 power option.</i>	Standard
Lower Leg Extensions. <i>From seat pan.</i>	10"-16". Standard 13"-19". FOC
Footplates.	10"W x 8"D Split Footplates. FOC
	10"W x 11"D Split Footplates. Standard
Calf Support.	Individual Calf Pads. 6"W x 6"H. Standard

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i>	FOC	
ELEVATING ARTICULATING	Lower Leg Extensions. <i>From seat pan.</i>	9"-15" FOC 13"-21" Standard
	Footplate Type.	Angle Adjustable Flip-up. <i>Select size below.</i> Standard
	Foot Support Size. <i>Includes heel loops.</i>	4"W x 6"D. 14" seat widths and above. FOC 5"W x 7"D. 16" seat widths and above. FOC 6"W x 8"D. 18" seat widths and above. FOC
	Powered Leg Support Operation Method.	Independent. <i>Uses 2 power options.</i> Combined. <i>Uses 1 power option.</i>

STEALTH HEAD SUPPORTS

<input type="checkbox"/>	UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
<input type="checkbox"/>	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
<input type="checkbox"/>	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC BELTS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.	Standard
-------------------------------------	--------------------------------------------	----------

EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	Q-Logic 3e Controls. <i>3 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard		
<input type="checkbox"/>	Basic Swing-away.	FOC		
Mounting Position.	<input type="checkbox"/> Left	FOC	<input type="checkbox"/> Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	6 Mph Program with Lights and indicators.	Standard
<input type="checkbox"/>	4 Mph Program with Lights and indicators.	FOC
<input type="checkbox"/>	LED Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i>	Standard
<input type="checkbox"/>	Omit LED Fender Lights.	FOC

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
MOTABILITY ID 1003165 - 01/07/25 V1

