

ASPEN WITH TB FLEX SEAT / POWER LIFT/ POWER TILT / POWER RECLINE

DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone Email

PO No Order Ref

DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Clients Weight

BASE MODEL

- 4 Colour Options
- Height Adj. Removable Arm Supports
- 70° Swing-Away Supports
- Angle Adj. Fold-Forward Back Support
- 14" Flat Free Drive Tyres
- 3" x 9" Flat Free Front Castors
- ATX Suspension System



- Powered Lift
- Powered Tilt
- Powered Recline
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
 FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

<input type="checkbox"/>	3" x 14" Flat Free Black Tyres.	Standard
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres.	FOC

FRONT CASTORS

<input type="checkbox"/>	3" x 9" Flat Free Black Tyres.	Standard
--------------------------	--------------------------------	----------

COLOURS

<input type="checkbox"/>	Back in Black	Standard
<input type="checkbox"/>	Electric Blue	FOC
<input type="checkbox"/>	Silver Bullet	FOC
<input type="checkbox"/>	Red Corvette	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

15" Width	FOC	16" Width	FOC
17" Width	FOC	18" Width	Standard
19" Width	FOC	20" Width	FOC

SEAT DEPTH

15" Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified.

SEAT POSITIONING

✓ Powered Seat Lift & Tilt. <i>10" lift & 50° tilt. Uses 2 power options.</i>	Standard
---	----------

Seat to Floor Height. *From seat pan.*

17.5"

18"

18.5"

STANDARD BACK SUPPORT POSITIONING

✓ Powered Back Recline. <i>Adjustable range 95° to 125°. Uses 1 power option.</i>	Standard
---	----------

STANDARD BACK SUPPORTS

✓ TRU-Comfort 2. <i>4-way stretch cover. Adjustable range 24.5" to 28" from seat pan.</i>	Standard
---	----------

ARM SUPPORTS

TB Flex Removable, Quick Release. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard			
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	FOC			
Arm Support Pads	10" Standard	Standard	10" Waterfall. <i>Not with TB Flex.</i>	FOC
	14" Standard	FOC	14" Waterfall. <i>Not with TB Flex.</i>	FOC

LEG SUPPORTS

70° Swing-away. <i>Adjustment range 12" to 15".</i>	Standard
60° to 90° Tool Adjustable Swing-away. <i>Adjustment range 11" to 16.5".</i>	FOC
Manual Elevating Swing-away. <i>Adjustment range 15" to 20".</i>	FOC

Seat pan to heel measurement (Leave blank for standard factory)

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

Please visit stealthproducts.com for alternative head supports.

PELVIC SOLUTIONS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.	Standard (STD)
-------------------------------------	--	----------------

NON-EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	Q-Logic 3e Controls. <i>3 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard		
<input type="checkbox"/>	Basic Swing-away.	FOC		
Mounting Position.	<input type="checkbox"/> Left	FOC	<input type="checkbox"/> Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
<input type="checkbox"/>	6 Mph Program. <i>With Lights and indicators.</i>	FOC

ACCESSORIES

<input type="checkbox"/>	Kerb Climber.	FOC
--------------------------	---------------	-----

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
MOTABILITY ID 1001366 - 01/04/25 V1

