

ASPEN WITH TB FLEX SEATING

DEALERS DETAILS

| | |
|--------------|-----------|
| Dealers Name | |
| Order Date | |
| Address | |
| Postcode | |
| Phone | Email |
| PO No | Order Ref |

DELIVERY DETAILS

| | |
|--------------------|--|
| Dealers Address | |
| Postcode | |
| Quantum Specialist | |
| Clients Weight | |

BASE MODEL

- 4 Colour Options
- Height Adj. Removable Arm Supports
- 70° Swing-Away Leg Supports
- Angle Adj. Fold-Forward Back Support
- 14" Flat Free Drive Tyres
- 3" x 9" Flat Free Front Castors



- ATX Suspension System
- QLNES Control System
- 2 x 62 ah Batteries
- 4Mph (6 Km/h) Motors
- Max User Weight:
21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

| | |
|---------------------------------|----------|
| 3" x 14" Flat Free Black Tyres. | Standard |
| 3" x 14" Pneumatic Black Tyres. | FOC |

FRONT CASTORS

| | |
|--------------------------------|----------|
| 3" x 9" Flat Free Black Tyres. | Standard |
|--------------------------------|----------|

COLOURS

| | |
|---------------|----------|
| Back in Black | Standard |
| Electric Blue | FOC |
| Silver Bullet | FOC |
| Red Corvette | FOC |

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

| | | | |
|-----------|-----|-----------|----------|
| 15" Width | FOC | 16" Width | FOC |
| 17" Width | FOC | 18" Width | Standard |
| 19" Width | FOC | 20" Width | FOC |

SEAT DEPTH

| | | | |
|-----------|-----|-----------|----------|
| 15" Depth | FOC | 16" Depth | FOC |
| 17" Depth | FOC | 18" Depth | Standard |
| 19" Depth | FOC | 20" Depth | FOC |

STEALTH SEAT CUSHIONS

| | |
|--|----------|
| No Seat Cushion Required | FOC |
| Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i> | Standard |
| Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i> | FOC |
| TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i> | FOC |

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified.

SEAT POSITIONING

| | |
|--|--|
| <input checked="" type="checkbox"/> Manual Settable Tilt. <i>0° to 30° tool adjustable with a telescopic tube.</i> | Standard |
| Seat to Floor Height. <i>From seat pan.</i> | <input type="checkbox"/> 17.5" <input type="checkbox"/> 18" <input type="checkbox"/> 18.5" |

STANDARD BACK SUPPORT POSITIONING

| | |
|---|----------|
| <input checked="" type="checkbox"/> Manual Angle Settable, Fold-Forward. <i>Adjustment range 95° to 125°.</i> | Standard |
|---|----------|

STANDARD BACK SUPPORTS

| | |
|---|----------|
| <input checked="" type="checkbox"/> TRU-Comfort 2. <i>4-way stretch cover. Adjustable range 24.5" to 28" from seat board.</i> | Standard |
|---|----------|

ARM SUPPORTS

| | |
|--|---|
| TB Flex Removable, Quick Release. <i>Adjustment range 9" to 14" from seat pan.</i> | Standard |
| 2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i> | FOC |
| Arm Support Pads | <input type="checkbox"/> 10" Standard Standard <input type="checkbox"/> 10" Waterfall. <i>Not with Std flip-up or TB Flex.</i> FOC <input type="checkbox"/> 14" Standard FOC <input type="checkbox"/> 14" Waterfall. <i>Not with Std flip-up or TB Flex.</i> FOC |

LEG SUPPORTS

| | |
|---|----------|
| 70° Swing-away Legrests. <i>Adjustment range 12" to 15".</i> | Standard |
| 60° to 90° Tool Adjustable Swing-away Legrests. <i>Adjustment range 11" to 16.5".</i> | FOC |
| Manual Elevating Swing-away Legrests. <i>Adjustment range 15" to 20".</i> | FOC |

Seat pan to heel measurement (Leave blank for standard factory)

Adjustment ranges above are from seat pan to footplates. Individual legrests supplied with heel loops. Elevating legrests supplied with calf supports.

STEALTH HEAD SUPPORTS

| | |
|--|----------|
| UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i> | Standard |
| UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i> | FOC |

Please visit stealthproducts.com for alternative head supports.

PELVIC SOLUTIONS

| | | |
|-------------------------------------|--|----------|
| <input checked="" type="checkbox"/> | Auto Buckle Lap Belt, Push Button Release. | Standard |
|-------------------------------------|--|----------|

NON-EXPANDABLE CONTROLS

| | | |
|-------------------------------------|---|----------|
| <input checked="" type="checkbox"/> | QLNES Controls. <i>2 power option ready.</i> | Standard |
| Control Method. | <input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i> | Standard |
| | <input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i> | FOC |

HAND CONTROL MOUNTS

| | | | | |
|--------------------------|-------------------------------|----------|--------------------------------|----------|
| <input type="checkbox"/> | Fixed. | Standard | | |
| <input type="checkbox"/> | Basic Swing-away. | FOC | | |
| Mounting Position. | <input type="checkbox"/> Left | FOC | <input type="checkbox"/> Right | Standard |

SPEED PROGRAM & LIGHTS PACKAGE

| | | |
|--------------------------|---|----------|
| <input type="checkbox"/> | 4 Mph Program. <i>Lights and indicators not included.</i> | Standard |
| <input type="checkbox"/> | 4 Mph Program with Lights and indicators. | FOC |
| <input type="checkbox"/> | 6 Mph Program with Lights and indicators. | FOC |

ACCESSORIES

| | | |
|--------------------------|---------------|-----|
| <input type="checkbox"/> | Kerb Climber. | FOC |
|--------------------------|---------------|-----|

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
MOTABILITY ID 721049 - 01/04/24 V1

