

## EDGE 3 STRETTO TB FLEX SEAT/POWER TILT / PRO BACK

### DEALERS DETAILS

Dealers Name			
Order Date			
Address			
	Postcode		
Phone		Email	
PO No		Order Ref	

### DELIVERY DETAILS

Dealers Address			
	Postcode		
Quantum Specialist			
Ⓢ Clients Weight (required for suspension settings)			

### BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- 70° Swing-Away Leg Supports
- Angle Adj. Fold-Forward Back Support
- 12.5" Flat Free Drive Tyres
- 2" x 5" Flat Free Front Castors
- 2" x 6" Flat Free Rear Castors



- SRS Suspension System
- Powered Tilt
- QLNES Control System
- 2 x 40 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight:  
21 st 6lbs. (136 kg)

Standard = Standard Factory Feature  
FOC = Select Instead of Standard Factory Feature

### DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3" x 12.5" Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	FOC
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

### COLOURS

Back in Black	Standard	Pretty in Pink	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Blue Jean	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC
Red Corvette	FOC	Raspberry Beret*	FOC

\* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



## STANDARD SEAT DIMENSIONS

15" Width	FOC	16" Width	FOC	15" Depth	FOC	16" Depth	FOC
17" Width	FOC	18" Width	Standard	17" Depth	FOC	18" Depth	Standard
19" Width	FOC	20" Width	FOC	19" Depth	FOC	20" Depth	FOC

## STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

## SEAT POSITIONING

✓ Powered Seat Tilt. <i>0° to 30°. Uses 1 power option.</i>	Standard			
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<table border="1"> <tr> <td>17.5"</td> <td>18.5"</td> <td>19.5"</td> </tr> </table>	17.5"	18.5"	19.5"
17.5"	18.5"	19.5"		

## STANDARD BACK SUPPORT POSITIONING *Compatible with standard seat dimensions.*

✓ Manual Angle Settable, Fold-Forward. <i>Adj. range 95° to 125°.</i>	Standard
---	----------

## STEALTH PRO BACK SUPPORTS

Standard, Coolcore Cover. <i>Solid back, 9 cm contour.</i>	FOC				
Active, Coolcore Cover. <i>Solid back, 12 cm contour</i>	Standard				
Extra Deep Active, Coolcore Cover. <i>Solid back, 17 cm contour.</i>	FOC				
Active Flex, Coolcore Cover. <i>Tension adjustable straps. 12 cm contour.</i>	FOC				
Back Height	<table border="1"> <tr> <td>50cm. <i>Actual height.</i></td> <td>Standard</td> <td>57cm. <i>Actual height.</i></td> <td>FOC</td> </tr> </table>	50cm. <i>Actual height.</i>	Standard	57cm. <i>Actual height.</i>	FOC
50cm. <i>Actual height.</i>	Standard	57cm. <i>Actual height.</i>	FOC		

## ARM SUPPORTS

TB Flex Removable, Quick Release. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard								
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan.</i>	FOC								
Single Post Height Adjustable. <i>Adjustment range 11"-17" from seat pan.</i>	FOC								
Paediatric Single Post Height Adjustable. <i>Adjustment range 7.75"-9.75" from seat pan. 10" pads only.</i>	FOC								
Arm Support Pads	<table border="1"> <tr> <td>10" Standard</td> <td>Standard</td> <td>10" Waterfall. <i>Not with Std flip-up or TB Flex.</i></td> <td>FOC</td> </tr> <tr> <td>14" Standard</td> <td>FOC</td> <td>14" Waterfall. <i>Not with Std flip-up or TB Flex.</i></td> <td>FOC</td> </tr> </table>	10" Standard	Standard	10" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC	14" Standard	FOC	14" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC
10" Standard	Standard	10" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC						
14" Standard	FOC	14" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC						

## LEG SUPPORTS

70° Swing-away. <i>Adjustment range 12" to 15".</i>	Standard
60° to 90° Tool Adjustable Swing-away. <i>Adjustment range 11" to 16.5".</i>	FOC
Manual Elevating Swing-Away. <i>Inc. calf pads. Adjustment range 15" to 20".</i>	FOC
Manually Adjustable Centre Mount Foot Platform. <i>Extension range range 10" to 19"; 5"W x 11"L Footplates.</i>	FOC
Enter seat pan to heel measurement.	<i>If no measurement is supplied the standard factory length option will be fitted.</i>

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

## STEALTH HEAD SUPPORTS

<input type="checkbox"/>	UniLink 10" Comfort Plus. <i>HMO475-17M/CP10CCFPM.</i>	Standard
<input type="checkbox"/>	UniLink 14" Comfort Plus. <i>HMO475-17M/CP14CCFPM.</i>	FOC

## PELVIC SOLUTIONS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.	Standard
-------------------------------------	--	----------

## NON-EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	QLNES. <i>2 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

## HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
<input type="checkbox"/>	Basic swing-away.	FOC
Mounting Position.	<input type="checkbox"/> Left	FOC
	<input type="checkbox"/> Right	Standard

## SPEED PROGRAM & LIGHTS PACKAGE

<input checked="" type="checkbox"/>	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
-------------------------------------	---	----------

## NOTES & SPECIAL REQUESTS



**Quantum®**  
 32 Wedgwood Road, Bicester,  
 Oxon, OX26 4UL  
 Phone: 01869 324600  
 Fax: 01869 323070  
 Email: sales@quantumrehab.co.uk  
 Web: www.quantumrehab.co.uk  
**Motability ID 1000815 - 01/04/25 V1**

