

EDGE 3 STRETTO TB FLEX SEAT / POWER LIFT / TILT / RECLINE / FOOT SUPPORTS

DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone Email

PO No Order Ref

DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Ⓞ Clients Weight (required for suspension settings)

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- 12.5" Flat Free Drive Tyres
- 2" x 5" Flat Free Front Castors
- 2" x 6" Flat Free Rear Castors



- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

<input type="checkbox"/>	3" x 12.5" Flat Free Black Tyres.	Standard
<input type="checkbox"/>	3" x 12.5" Pneumatic Black Tyres.	FOC
<input type="checkbox"/>	3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	FOC
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Pretty in Pink	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Blue Jean	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC
<input type="checkbox"/>	Red Corvette	FOC	<input type="checkbox"/>	Raspberry Beret*	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.



* Extended lead-time.

STANDARD SEAT DIMENSIONS

<input type="checkbox"/>	15" Width	FOC	<input type="checkbox"/>	16" Width	FOC	<input type="checkbox"/>	15" Depth	FOC	<input type="checkbox"/>	16" Depth	FOC
<input type="checkbox"/>	17" Width	FOC	<input type="checkbox"/>	18" Width	Standard	<input type="checkbox"/>	17" Depth	FOC	<input type="checkbox"/>	18" Depth	Standard
<input type="checkbox"/>	19" Width	FOC	<input type="checkbox"/>	20" Width	FOC	<input type="checkbox"/>	19" Depth	FOC	<input type="checkbox"/>	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

✓ Powered Seat Lift & Tilt. <i>10" lift & 50° tilt. Uses 2 power options.</i>	Standard			
Powered Lift & Tilt Seat to Floor Height. <i>From seat pan.</i>	<table border="1"> <tr> <td>18"</td> <td>19"</td> <td>20"</td> </tr> </table>	18"	19"	20"
18"	19"	20"		

STANDARD BACK SUPPORT POSITIONING

✓ Powered Back Recline. <i>Adj. range 95° to 125°. Will not fold with 10" lift. Uses 1 power option.</i>	Standard
--	----------

STANDARD BACK SUPPORTS

✓ TRU-Comfort 2. <i>4-way stretch cover. Adjustable range 24.5" to 28" from seat board.</i>	Standard
---	----------

ARM SUPPORTS

TB Flex Removable, Quick Release. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard								
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan.</i>	FOC								
Single Post Height Adjustable. <i>Adjustment range 11"-17" from seat pan.</i>	FOC								
Paediatric Single Post Height Adjustable. <i>Adjustment range 7.75"-9.75" from seat pan. 10" pads only.</i>	FOC								
Arm Support Pads	<table border="1"> <tr> <td>10" Standard</td> <td>Standard</td> <td>10" Waterfall. <i>Not with TB Flex.</i></td> <td>FOC</td> </tr> <tr> <td>14" Standard</td> <td>FOC</td> <td>14" Waterfall. <i>Not with TB Flex.</i></td> <td>FOC</td> </tr> </table>	10" Standard	Standard	10" Waterfall. <i>Not with TB Flex.</i>	FOC	14" Standard	FOC	14" Waterfall. <i>Not with TB Flex.</i>	FOC
10" Standard	Standard	10" Waterfall. <i>Not with TB Flex.</i>	FOC						
14" Standard	FOC	14" Waterfall. <i>Not with TB Flex.</i>	FOC						

CENTRE MOUNTED LEG SUPPORTS *Maximum user weight 113.4 kg.*

Power Elevating Articulating Centre Mount Foot Platform. <i>Uses 1 power option.</i>	FOC				
Lower Leg Extensions. <i>From seat pan.</i>	<table border="1"> <tr> <td>10"-16"</td> <td>Standard</td> </tr> </table>	10"-16"	Standard		
10"-16"	Standard				
Foot Supports.	<table border="1"> <tr> <td>10"W x 8"D Split Foot Supports.</td> <td>FOC</td> </tr> <tr> <td>10"W x 11"D Split Foot Supports.</td> <td>Standard</td> </tr> </table>	10"W x 8"D Split Foot Supports.	FOC	10"W x 11"D Split Foot Supports.	Standard
10"W x 8"D Split Foot Supports.	FOC				
10"W x 11"D Split Foot Supports.	Standard				
Calf Support.	<table border="1"> <tr> <td>Individual Calf Pads. <i>6"W x 6"H.</i></td> <td>Standard</td> </tr> </table>	Individual Calf Pads. <i>6"W x 6"H.</i>	Standard		
Individual Calf Pads. <i>6"W x 6"H.</i>	Standard				

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i>	FOC						
ELEVATING ARTICULATING	Lower Leg Extensions. <i>From seat pan.</i>	<table border="1"> <tr> <td>9"-15"</td> <td>FOC</td> <td>13"-21"</td> <td>Standard</td> </tr> </table>	9"-15"	FOC	13"-21"	Standard	
	9"-15"	FOC	13"-21"	Standard			
	Footplate Type.	<table border="1"> <tr> <td>Angle Adjustable Flip-up. <i>Select size below.</i></td> <td>Standard</td> </tr> </table>	Angle Adjustable Flip-up. <i>Select size below.</i>	Standard			
	Angle Adjustable Flip-up. <i>Select size below.</i>	Standard					
Foot Support Size. <i>Includes heel loops.</i>	<table border="1"> <tr> <td>4"W x 6"D. <i>14" seat widths and above.</i></td> <td>FOC</td> <td>5"W x 7"D. <i>16" seat widths and above.</i></td> <td>FOC</td> <td>6"W x 8"D. <i>18" seat widths and above.</i></td> <td>FOC</td> </tr> </table>	4"W x 6"D. <i>14" seat widths and above.</i>	FOC	5"W x 7"D. <i>16" seat widths and above.</i>	FOC	6"W x 8"D. <i>18" seat widths and above.</i>	FOC
4"W x 6"D. <i>14" seat widths and above.</i>	FOC	5"W x 7"D. <i>16" seat widths and above.</i>	FOC	6"W x 8"D. <i>18" seat widths and above.</i>	FOC		
Powered Leg Support Operation Method.	<table border="1"> <tr> <td>Independent. <i>Uses 2 power options.</i></td> <td> <table border="1"> <tr> <td>Combined. <i>Uses 1 power option.</i></td> </tr> </table> </td> </tr> </table>	Independent. <i>Uses 2 power options.</i>	<table border="1"> <tr> <td>Combined. <i>Uses 1 power option.</i></td> </tr> </table>	Combined. <i>Uses 1 power option.</i>			
Independent. <i>Uses 2 power options.</i>	<table border="1"> <tr> <td>Combined. <i>Uses 1 power option.</i></td> </tr> </table>	Combined. <i>Uses 1 power option.</i>					
Combined. <i>Uses 1 power option.</i>							

STEALTH HEAD SUPPORTS

<input type="checkbox"/>	UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
<input type="checkbox"/>	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
<input type="checkbox"/>	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.	Standard
-------------------------------------	--	----------

NON-EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	Q-Logic 3e Controls. <i>3 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard		
<input type="checkbox"/>	Basic swing-away.	£75		
Mounting Position.	<input type="checkbox"/> Left	FOC	<input type="checkbox"/> Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

<input checked="" type="checkbox"/>	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
-------------------------------------	---	----------

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1003172 - 01/07/25 V1

