

EDGE 3 STRETTO TB FLEX SEAT / POWER LIFT / POWER TILT/ POWER FOOT SUPPORTS

DEALERS DETAILS

Dealers Name	
Order Date	
Address	
	Postcode
Phone	Email
PO No	Order Ref

DELIVERY DETAILS

Dealers Address	
	Postcode
Quantum Specialist	
Ⓢ Clients Weight (required for suspension settings)	

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- 12.5" Flat Free Drive Tyres
- 2" x 5" Flat Free Front Castors
- 2" x 6" Flat Free Rear Castors



- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 40 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3" x 12.5" Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	FOC
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

Back in Black	Standard	Pretty in Pink	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Blue Jean	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC
Red Corvette	FOC	Raspberry Beret*	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.



* Extended lead-time.

STANDARD SEAT DIMENSIONS

15" Width	FOC	16" Width	FOC	15" Depth	FOC	16" Depth	FOC
17" Width	FOC	18" Width	Standard	17" Depth	FOC	18" Depth	Standard
19" Width	FOC	20" Width	FOC	19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

	No Seat Cushion Required	FOC
	Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
	Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	FOC
	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

✓	Powered Seat Lift & Tilt. <i>10" lift & 50° tilt. Uses 2 power options.</i>	Standard
	Powered Lift & Tilt Seat to Floor Height. <i>From seat pan.</i>	18" 19" 20"

STANDARD BACK SUPPORT POSITIONING *Compatible with standard seat dimensions.*

✓	Manual Angle Settable. <i>Adj. range 95° to 125°. Will not fold with 10" lift.</i>	Standard
---	--	----------

STANDARD BACK SUPPORTS

✓	TRU-Comfort 2. <i>4-way stretch cover. Adjustable range 24.5" to 28" from seat board.</i>	Standard
---	---	----------

ARM SUPPORTS

	TB Flex Removable, Quick Release. <i>Adjustment range 9" to 14" from seat pan.</i>				Standard	
	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan.</i>				FOC	
	Single Post Height Adjustable. <i>Adjustment range 11"-17" from seat pan.</i>				FOC	
	Paediatric Single Post Height Adjustable. <i>Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.</i>				FOC	
Arm Support Pads		10" Standard	Standard		10" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC
		14" Standard	FOC		14" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC

CENTRE MOUNTED LEG SUPPORTS *Maximum user weight 113.4 kg.*

	Power Elevating Articulating Centre Mount Foot Platform. <i>Uses 1 power option.</i>		FOC
Lower Leg Extensions. <i>From seat pan.</i>		10"-16".	Standard
Foot Supports.		10"W x 8"D Split Foot Supports.	FOC
		10"W x 11"D Split Foot Supports.	Standard
Calf Support.		Individual Calf Pads. <i>6"W x 6"H.</i>	Standard

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i>						FOC
ELEVATING ARTICULATING	Lower Leg Extensions. <i>From seat pan.</i>	 9"-15"	FOC	 13"-21"			Standard
	Footplate Type.	 Angle Adjustable Flip-up. <i>Select size below.</i>					Standard
	Foot Support Size. <i>Includes heel loops.</i>	 4"W x 6"D. <i>14" seat widths and above.</i>	FOC	 5"W x 7"D. <i>16" seat widths and above.</i>	FOC	 6"W x 8"D. <i>18" seat widths and above.</i>	FOC
	Powered Leg Support Operation Method.	 Independent. <i>Uses 2 power options.</i>		 Combined. <i>Uses 1 power option.</i>			

STEALTH HEAD SUPPORTS

☐	UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
☐	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
☐	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

☒	Auto Buckle Lap Belt, Push Button Release.	Standard
-------------------------------------	--	----------

NON-EXPANDABLE CONTROLS

☒	Q-Logic 3e Controls. <i>5 power option ready.</i>	Standard
Control Method.	☐ Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	☐ Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

☐	Fixed.				Standard
☐	Basic swing-away.				FOC
	Mounting Position.	☐ Left	FOC	☐ Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

☒	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
-------------------------------------	---	----------

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1003173 - 01/07/25 V1

