

MOTABILITY ID 707382

## EDGE 3 STRETTO WITH TB3 SEATING / iLEVEL / POWER TILT

### DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone  Email

PO No  Order Ref

### DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Ⓢ Clients Weight (required for suspension settings)

### BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- iLevel Seat Lift and Powered Tilt
- 12.5" Flat Free Drive Tyres
- 2" x 5" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight:  
21 st 6lbs. (136 kg)

Standard = Standard Factory Feature  
FOC = Select Instead of Standard Factory Feature

### DRIVE WHEELS

<input type="checkbox"/>	3" x 12.5" Flat Free Black Tyres.	Standard
<input type="checkbox"/>	3" x 12.5" Pneumatic Black Tyres.	FOC
<input type="checkbox"/>	3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	FOC
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

### COLOURS

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Pretty in Pink	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Blue Jean	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC
<input type="checkbox"/>	Red Corvette	FOC	<input type="checkbox"/>	Raspberry Beret*	FOC

\* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



## SEAT PACKAGES - SEAT WIDTH

<input type="checkbox"/>	12"-16"W
<input type="checkbox"/>	14"-16"W
<input type="checkbox"/>	16"-20"W
Set width at: <input type="text"/>	

## SEAT PACKAGES - SEAT DEPTH

<input type="checkbox"/>	12"-16"D
<input type="checkbox"/>	14"-16"D
<input type="checkbox"/>	16"-20"D
Set depth at: <input type="text"/>	

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when iLevel is selected.

## STEALTH SEAT CUSHIONS

<input type="checkbox"/>	No Seat Cushion Required	FOC
<input type="checkbox"/>	Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	Standard
<input type="checkbox"/>	Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	FOC
<input type="checkbox"/>	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

## SEAT POSITIONING

<input checked="" type="checkbox"/>	iLevel Powered Seat Lift & Tilt. <i>12" lift &amp; 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.</i>	Standard
Powered iLevel Lift & Tilt Seat to Floor Height. <i>From seat pan.</i>		<input type="checkbox"/> 18" <input type="checkbox"/> 19" <input type="checkbox"/> 20"

## BACKREST SPECIFICATIONS

<input type="checkbox"/>	TRU-Balance 3 Back Support System. <i>Select TB3 back options below. Ignore all 'Back Cane' options.</i>	Standard
<input type="checkbox"/>	Back Canes Only System. <i>Not available with TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.</i>	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a pair of plastic lateral wedge inserts.

## TB3 BACK SUPPORT

<input checked="" type="checkbox"/>	Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. <i>Select size in Back Support Dimensions</i>	Standard
-------------------------------------	---	----------

## TB3 BACK SUPPORT POSTIONING

<input type="checkbox"/>	TRU-Balance 3 Static Back. <i>Angle can be preset manually.</i>	Standard
<input type="checkbox"/>	TRU-Balance 3 Flip-forward Back. <i>Not available with TB3 flip-back arm supports. Not suitable for occupied transport.</i>	FOC

## BACK CANE ONLY SUPPORT

<input type="checkbox"/>	Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. <i>Select size in Back Support Dimensions</i>					Standard				
Back Cane Only Support Positioning.	<input type="checkbox"/>	Tool Angle Adjustable. <i>85° to 120° in 5° increments.</i>				Standard				
	<input type="checkbox"/>	Flip-forward Back Canes. <i>Not suitable for occupied transport.</i>				FOC				
Back Cane Height. <i>From seat pan.</i>	<input type="checkbox"/>	16"H	<input type="checkbox"/>	17"H	<input type="checkbox"/>	18"H	<input type="checkbox"/>	19"H	<input type="checkbox"/>	20"H
	<input type="checkbox"/>	21"H	<input type="checkbox"/>	22"H	<input type="checkbox"/>	23"H	<input type="checkbox"/>	24"H	<input type="checkbox"/>	25"H

## BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package.		12"-14"W	14"-16"W	16"-20"W
		18"-22"W	20"-24"W	
Back Support Width.	12"W	14"W	16"W	17"W
	18"W	19"W	20"W	21"W
	22"W	24"W		
Back Support Height. <i>From seat pan.</i>	14"H. <i>12"W back only.</i>	15"H. <i>12"W back only.</i>	16"H.	17"H.
	18"H.	19"H.	20"H.	21"H.
	22"H.	23"H.	24"H.	25"H. <i>Not available with 24"W back.</i>
	26"H. <i>Not available with 24"W back.</i>	27"H. <i>Not available with 24"W back.</i>	28"H. <i>Not available with 24"W back.</i>	29"H. <i>Not available with 24"W back.</i>

## ARM SUPPORTS

2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	Standard		
Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i>	FOC		
Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"-9.75" from seat pan. 10" pads only.</i>	FOC		
TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>	FOC		
Arm Support Pads	10" Standard Standard	10" Waterfall. <i>Not with TB3 Flip-back.</i>	FOC
	14" Standard FOC	14" Waterfall. <i>Not with TB3 Flip-back.</i>	FOC
	17" Standard. <i>TB3 only. Minimum seat depth 16"</i>	FOC	

## CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Centre Mount Foot Platform. <i>Minimum seat width 14".</i>	Standard	
Paediatric Adj. Centre Mount Foot Platform. <i>12"-14" seat widths only.</i>	FOC	
Lower Leg Extensions. <i>From seat pan.</i>	8"-12". <i>Paediatric centre mount only.</i> FOC	10"-16". <i>Manually adjustable.</i> Standard
Foot Supports.	10"W x 6"D Split Foot Supports. <i>Paediatric centre mount only.</i> FOC	10"W x 8"D Split Foot Supports. FOC
	10"W x 11"D Split Foot Supports. Standard	
Calf Support.	Individual Calf Pads. <i>6"W x 6"H.</i> Standard	

## INDIVIDUALLY MOUNTED LEG SUPPORTS

70° Swing-away. <i>Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".</i>	FOC
Manual Elevating Swing-Away. <i>Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".</i>	FOC

## INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

60° to 90° Tool Adjustable Swing-away. <i>Angle &amp; depth adjustable footplates 6"W x 8"D. Select lowers below. Minimum seat width 15".</i>	FOC		
60° to 90° Lower Leg Extensions. <i>From seat pan.</i>	11"-13" FOC	13.5"-16.5" Standard	15.5"-19.5" FOC

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

## STEALTH HEAD SUPPORTS

<input type="checkbox"/>	UniLink 10" Comfort Plus. <i>HMO475-17M/CP10CCFPM.</i>	Standard
<input type="checkbox"/>	UniLink 14" Comfort Plus. <i>HMO475-17M/CP14CCFPM.</i>	FOC

## PELVIC BELTS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.	Standard
-------------------------------------	--	----------

## EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	Q-Logic 3e Controls. <i>3 power option ready.</i>	Standard
-------------------------------------	---	----------

<input type="checkbox"/>	iAccess OLED 4 Button Switch Module. <i>Mounted to opposite armrest unless specified.</i>	<input type="checkbox"/> STD	<input type="checkbox"/> Push Button iAccess <input type="checkbox"/> Toggle Lever iAccess	If iAccess is selected choose either Push Button or Toggle lever option.
--------------------------	--	------------------------------	---	--

<input type="checkbox"/>	Omit iAccess OLED 4 Button Switch Module.	
--------------------------	---	--

<input type="checkbox"/>	Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
<input type="checkbox"/>		<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

Please visit [stealthproducts.com](http://stealthproducts.com) for alternative control options such as mini joysticks, head arrays & switches.

## HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
--------------------------	--------	----------

<input type="checkbox"/>	Basic Swing-away.	FOC
--------------------------	-------------------	-----

Mounting Position.	<input type="checkbox"/> Left	FOC	<input type="checkbox"/> Right	Standard
--------------------	-------------------------------	-----	--------------------------------	----------

## SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	4 Mph Program with Lights and indicators.	Standard
--------------------------	---	----------

<input type="checkbox"/>	6 Mph Program with Lights and indicators.	FOC
--------------------------	---	-----

<input type="checkbox"/>	LED Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i>	Standard
--------------------------	---	----------

<input type="checkbox"/>	Omit LED Fender Lights.	FOC
--------------------------	-------------------------	-----

## NOTES & SPECIAL REQUESTS



**Quantum®**  
 32 Wedgwood Road, Bicester,  
 Oxon, OX26 4UL  
 Phone: 01869 324600  
 Fax: 01869 323070  
 Email: [sales@quantumrehab.co.uk](mailto:sales@quantumrehab.co.uk)  
 Web: [www.quantumrehab.co.uk](http://www.quantumrehab.co.uk)  
**Motability ID 707382 - 01/04/25 V1**

