

EDGE 3 STRETTO WITH TB3 SEAT / POWER TILT / POWER RECLINE / POWER FOOT SUPPORTS

DEALERS DETAILS

| | | | |
|--------------|----------|-----------|--|
| Dealers Name | | | |
| Order Date | | | |
| Address | | | |
| | Postcode | | |
| Phone | | Email | |
| PO No | | Order Ref | |

DELIVERY DETAILS

| | | | |
|---|----------|--|--|
| Dealers Address | | | |
| | | | |
| | | | |
| | Postcode | | |
| Quantum Specialist | | | |
| Ⓢ Clients Weight (required for suspension settings) | | | |

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- 12.5" Flat Free Drive Tyres
- 2" x 5" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

| | |
|--|----------|
| 3" x 12.5" Flat Free Black Tyres. | Standard |
| 3" x 12.5" Pneumatic Black Tyres. | FOC |
| 3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i> | FOC |
| 3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i> | FOC |

COLOURS

| | | | |
|---------------|----------|-------------------|-----|
| Back in Black | Standard | Pretty in Pink | FOC |
| Green Machine | FOC | Lemon Crush* | FOC |
| Midnight Blue | FOC | Night Train* | FOC |
| Electric Blue | FOC | Evolution Orange* | FOC |
| Blue Jean | FOC | Military Green* | FOC |
| Deep Purple | FOC | Grey Street* | FOC |
| Red Corvette | FOC | Raspberry Beret* | FOC |

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

| |
|------------------------------------|
| 12"-16"W |
| 14"-16"W |
| 16"-20"W |
| Set width at: <input type="text"/> |

SEAT PACKAGES - SEAT DEPTH

| |
|------------------------------------|
| 12"-16"D |
| 14"-16"D |
| 16"-20"D |
| Set depth at: <input type="text"/> |

STEALTH SEAT CUSHIONS

| | |
|--|----------|
| No Seat Cushion Required | FOC |
| Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i> | Standard |
| Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i> | FOC |
| TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i> | FOC |

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

| | |
|--|--|
| <input checked="" type="checkbox"/> TRU-Balance 3 Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i> | Standard |
| Powered Tilt Seat to Floor Height. <i>From seat pan.</i> | <input type="checkbox"/> 17.5" <input type="checkbox"/> 18.5" <input type="checkbox"/> 19.5" |

BACKREST SPECIFICATIONS

| | |
|--|----------|
| <input checked="" type="checkbox"/> TRU-Balance 3 Back Support System. <i>Select TB3 back options below. Ignore all 'Back Cane' options.</i> | Standard |
| Includes a metal active contour back support shell, TRU-Comfort 2 back cushion, and a pair of plastic lateral wedge inserts. | |

TB3 BACK SUPPORT

| | |
|---|----------|
| <input checked="" type="checkbox"/> Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. <i>Select size in Back Support Dimensions</i> | Standard |
|---|----------|

TB3 BACK SUPPORT POSTIONING

| | |
|---|----------|
| <input checked="" type="checkbox"/> TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i> | Standard |
|---|----------|

BACK SUPPORT DIMENSIONS

Back Support can be +/- 4" of seat width with TB3 Back Support System.

| | | | | |
|--|------------------------------------|------------------------------------|------------------------------------|--------------------------------|
| Backrest Support Width Package. | <input type="checkbox"/> 12"-14"W. | <input type="checkbox"/> 14"-16"W. | <input type="checkbox"/> 16"-20"W. | |
| | <input type="checkbox"/> 18"-22"W. | <input type="checkbox"/> 20"-24"W. | | |
| Back Support Width. | <input type="checkbox"/> 12"W. | <input type="checkbox"/> 14"W. | <input type="checkbox"/> 16"W. | <input type="checkbox"/> 17"W. |
| | <input type="checkbox"/> 18"W. | <input type="checkbox"/> 19"W. | <input type="checkbox"/> 20"W. | <input type="checkbox"/> 21"W. |
| | <input type="checkbox"/> 22"W. | <input type="checkbox"/> 24"W. | | |
| Back Support Height. <i>From seat pan.</i> | <input type="checkbox"/> 19"H. | <input type="checkbox"/> 20"H. | <input type="checkbox"/> 21"H. | <input type="checkbox"/> 22"H. |
| | <input type="checkbox"/> 23"H. | <input type="checkbox"/> 24"H. | <input type="checkbox"/> 25"H. | <input type="checkbox"/> 26"H. |
| | <input type="checkbox"/> 27"H. | <input type="checkbox"/> 28"H. | <input type="checkbox"/> 29"H. | |

ARM SUPPORTS

| | | |
|------------------|---|---|
| | 2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i> | Standard |
| | Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i> | FOC |
| | Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"-9.75" from seat pan. 10" pads only.</i> | FOC |
| | TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i> | FOC |
| Arm Support Pads | 10" Standard Standard | 10" Waterfall. <i>Not with TB3 Flip-back.</i> FOC |
| | 14" Standard FOC | 14" Waterfall. <i>Not with TB3 Flip-back.</i> FOC |
| | 17" Standard. <i>TB3 only. Minimum seat depth 16"</i> FOC | |

CENTRE MOUNTED LEG SUPPORTS

| | | |
|--|--|----------|
| | Power Elevating Articulating Centre Mount Foot Platform. <i>Uses 1 power option.</i> | Standard |
| Lower Leg Extensions. <i>From seat pan.</i> | 10"-16". | Standard |
| Foot Supports. | 10"W x 8"D Split Foot Supports. | FOC |
| | 10"W x 11"D Split Foot Supports. | Standard |
| Calf Support. | <input checked="" type="checkbox"/> Individual Calf Pads. <i>6"W x 6"H.</i> | Standard |

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

| | | | | |
|------------------------|--|--|--|--|
| | Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i> | FOC | | |
| ELEVATING ARTICULATING | Lower Leg Extensions. <i>From seat pan.</i> | 9"-15" FOC | 13"-21" Standard | |
| | Footplate Type. | Angle Adjustable Flip-up. <i>Select size below.</i> Standard | | |
| | Foot Support Size. <i>Includes heel loops.</i> | 4"W x 6"D. <i>14" seat widths and above.</i> FOC | 5"W x 7"D. <i>16" seat widths and above.</i> FOC | 6"W x 8"D. <i>18" seat widths and above.</i> FOC |
| | Powered Leg Support Operation Method. | Independent. <i>Uses 2 power options.</i> | | Combined. <i>Uses 1 power option.</i> |

STEALTH HEAD SUPPORTS

| | | |
|--|--|----------|
| | UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i> | FOC |
| | UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i> | Standard |
| | UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i> | FOC |

PELVIC BELTS

| | | |
|-------------------------------------|--|----------|
| <input checked="" type="checkbox"/> | Auto Buckle Lap Belt, Push Button Release. | Standard |
|-------------------------------------|--|----------|

EXPANDABLE CONTROLS

| | | |
|-------------------------------------|--|----------|
| <input checked="" type="checkbox"/> | Q-Logic 3e. <i>5 power option ready</i> | Standard |
| Control Method. | Hand Control. <i>Select position in Hand Control Mounts below.</i> | Standard |
| | Attendant Control. <i>Hand control mounted at rear.</i> | FOC |

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

| | | | |
|--|-------------------|--|----------|
| <input type="checkbox"/> | Fixed. | | Standard |
| <input type="checkbox"/> | Basic Swing-away. | | FOC |
| Mounting Position. <input type="checkbox"/> Left <input type="checkbox"/> FOC <input type="checkbox"/> Right | | | |
| | | | Standard |

SPEED PROGRAM & LIGHTS PACKAGE

| | | |
|--------------------------|---|----------|
| <input type="checkbox"/> | 4 Mph Program with Lights and indicators. | Standard |
| <input type="checkbox"/> | 6 Mph Program with Lights and indicators. | FOC |
| <input type="checkbox"/> | LED Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i> | Standard |
| <input type="checkbox"/> | Omit LED Fender Lights. | FOC |

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1003167 - 01/07/25 V1

