

**EDGE 3 STRETTO WITH TB3 SEAT / iLEVEL / POWER TILT / POWER RECLINE**

**DEALERS DETAILS**

Dealers Name

Order Date

Address

Postcode

Phone  Email

PO No  Order Ref

**DELIVERY DETAILS**

Dealers Address

Postcode

Quantum Specialist

Ⓢ Clients Weight (required for suspension settings)

**BASE MODEL**

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- iLevel Seat Lift
- Powered Tilt
- Powered Recline
- 12.5" Flat Free Drive Tyres



- 2" x 5" Flat Free Front Castors
- 2" x 6" Flat Free Rear Castors
- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight:  
21 st 6lbs. (136 kg)

Standard = Standard Factory Feature  
FOC = Select Instead of Standard Factory Feature

**DRIVE WHEELS**

<input type="checkbox"/>	3" x 12.5" Flat Free Black Tyres.	Standard
<input type="checkbox"/>	3" x 12.5" Pneumatic Black Tyres.	FOC
<input type="checkbox"/>	3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	FOC
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

**COLOURS**

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Pretty in Pink	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Blue Jean	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC
<input type="checkbox"/>	Red Corvette	FOC	<input type="checkbox"/>	Raspberry Beret*	FOC

\* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



## SEAT PACKAGES - SEAT WIDTH

12"-16"W
14"-16"W
16"-20"W
Set width at: <input type="text"/>

## SEAT PACKAGES - SEAT DEPTH

12"-16"D
14"-16"D
16"-20"D
Set depth at: <input type="text"/>

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when iLevel is selected.

## STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

## SEAT POSITIONING

<input checked="" type="checkbox"/> iLevel Powered Seat Lift & Tilt. <i>12" lift &amp; 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.</i>	Standard
Powered iLevel Lift & Tilt Seat to Floor Height. <i>From seat pan.</i>	<input type="checkbox"/> 18" <input type="checkbox"/> 19" <input type="checkbox"/> 20"

## BACKREST SPECIFICATIONS

<input checked="" type="checkbox"/> TRU-Balance 3 Back Support System. <i>Select TB3 back options below.</i>	Standard
--	----------

## TB3 BACK SUPPORT

<input checked="" type="checkbox"/> Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. <i>Select size in Back Support Dimensions</i>	Standard
---	----------

## TB3 BACK SUPPORT POSTIONING

<input checked="" type="checkbox"/> TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i>	Standard
---	----------

## BACK SUPPORT DIMENSIONS

Back Support can be +/- 4" of seat width with TB3 Back Support System.

Backrest Support Width Package.	<input type="checkbox"/> 12"-14"W	<input type="checkbox"/> 14"-16"W	<input type="checkbox"/> 16"-20"W
	<input type="checkbox"/> 18"-22"W	<input type="checkbox"/> 20"-24"W	
Back Support Width.	<input type="checkbox"/> 12"W	<input type="checkbox"/> 14"W	<input type="checkbox"/> 17"W
	<input type="checkbox"/> 18"W	<input type="checkbox"/> 19"W	<input type="checkbox"/> 21"W
	<input type="checkbox"/> 22"W	<input type="checkbox"/> 24"W	
Back Support Height.	<input type="checkbox"/> 19"H.	<input type="checkbox"/> 20"H.	<input type="checkbox"/> 22"H.
	<input type="checkbox"/> 23"H.	<input type="checkbox"/> 24"H.	<input type="checkbox"/> 26"H. <i>Not available with 24"W back.</i>
	<i>From seat pan.</i> <input type="checkbox"/> 27"H. <i>Not available with 24"W back.</i>	<input type="checkbox"/> 28"H. <i>Not available with 24"W back.</i>	<input type="checkbox"/> 29"H. <i>Not available with 24"W back.</i>

19" minimum backrest height when powered recline is selected.

## ARM SUPPORTS

	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>		Standard	
	Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i>		FOC	
	Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"-9.75" from seat pan. 10" pads only.</i>		FOC	
	TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>		FOC	
Arm Support Pads	10" Standard	Standard	10" Waterfall. <i>Not with TB3 Flip-up.</i>	FOC
	14" Standard	FOC	14" Waterfall. <i>Not with TB3 Flip-up.</i>	FOC
	17" Standard. <i>TB3 only. Minimum seat depth 16"</i>	FOC		

## CENTRE MOUNTED LEG SUPPORTS

	Manually Adjustable Centre Mount Foot Platform. <i>Minimum seat width 14".</i>		Standard	
	Paediatric Adj. Centre Mount Foot Platform. <i>12"-14" seat widths only.</i>		FOC	
Lower Leg Extensions. <i>From seat pan.</i>	8"-12". <i>Paediatric centre mount only.</i>	FOC	10"-16". <i>Manually adjustable.</i>	Standard
Foot Supports.	10"W x 6"D Split Foot Supports. <i>Paediatric centre mount only.</i>	FOC	10"W x 8"D Split Foot Supports.	FOC
	10"W x 11"D Split Foot Supports.			Standard
Calf Support.	<input checked="" type="checkbox"/> Individual Calf Pads. <i>6"W x 6"H.</i>			Standard

## INDIVIDUALLY MOUNTED LEG SUPPORTS

	70° Swing-away. <i>Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".</i>		FOC
	Manual Elevating Swing-Away. <i>Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".</i>		FOC

## INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	60° to 90° Tool Adjustable Swing-away. <i>Angle &amp; depth adjustable footplates 6"W x 8"D. Select lowers below. Minimum seat width 15".</i>		FOC			
60° to 90° Lower Leg Extensions. <i>From seat pan.</i>	11"-13"	FOC	13.5"-16.5"	Standard	15.5"-19.5"	FOC

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

## STEALTH HEAD SUPPORTS

	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>		Standard
	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>		FOC

## PELVIC BELTS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.		Standard
-------------------------------------	--	--	----------

## EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	Q-Logic 3e Controls. <i>3 power option ready.</i>		Standard					
<input type="checkbox"/>	iAccess OLED 4 Button Switch Module. <i>Mounted to opposite armrest unless specified.</i>	<input checked="" type="checkbox"/> STD	<table border="0"> <tr> <td><input type="checkbox"/></td> <td>Push Button iAccess</td> <td rowspan="2">If iAccess is selected choose either Push Button or Toggle lever option.</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Toggle Lever iAccess</td> </tr> </table>	<input type="checkbox"/>	Push Button iAccess	If iAccess is selected choose either Push Button or Toggle lever option.	<input type="checkbox"/>	Toggle Lever iAccess
<input type="checkbox"/>	Push Button iAccess	If iAccess is selected choose either Push Button or Toggle lever option.						
<input type="checkbox"/>	Toggle Lever iAccess							
<input type="checkbox"/>	Omit iAccess OLED 4 Button Switch Module.							
<input type="checkbox"/>	Control Method.	<table border="0"> <tr> <td><input type="checkbox"/></td> <td>Hand Control. <i>Select position in Hand Control Mounts below.</i></td> <td>Standard</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Attendant Control. <i>Hand control mounted at rear.</i></td> <td>FOC</td> </tr> </table>	<input type="checkbox"/>	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard	<input type="checkbox"/>	Attendant Control. <i>Hand control mounted at rear.</i>	FOC
<input type="checkbox"/>	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard						
<input type="checkbox"/>	Attendant Control. <i>Hand control mounted at rear.</i>	FOC						

Please visit [stealthproducts.com](http://stealthproducts.com) for alternative control options such as mini joysticks, head arrays & switches.

## HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.		Standard						
<input type="checkbox"/>	Basic Swing-away.		FOC						
<input type="checkbox"/>	Mounting Position.	<table border="0"> <tr> <td><input type="checkbox"/></td> <td>Left</td> <td>FOC</td> <td><input type="checkbox"/></td> <td>Right</td> <td>Standard</td> </tr> </table>	<input type="checkbox"/>	Left	FOC	<input type="checkbox"/>	Right	Standard	
<input type="checkbox"/>	Left	FOC	<input type="checkbox"/>	Right	Standard				

## SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	4 Mph Program with Lights and indicators.	Standard
<input type="checkbox"/>	6 Mph Program with Lights and indicators.	FOC
<input type="checkbox"/>	LED Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i>	Standard
<input type="checkbox"/>	Omit LED Fender Lights.	FOC

## NOTES & SPECIAL REQUESTS



**Quantum®**  
 32 Wedgwood Road, Bicester,  
 Oxon, OX26 4UL  
 Phone: 01869 324600  
 Fax: 01869 323070  
 Email: [sales@quantumrehab.co.uk](mailto:sales@quantumrehab.co.uk)  
 Web: [www.quantumrehab.co.uk](http://www.quantumrehab.co.uk)  
**Motability ID 706909 - 01/04/25 V1**

