

## EDGE 3 WITH TB3 SEATING / POWER TILT / POWER RECLINE

### DEALERS DETAILS

|              |          |           |  |
|--------------|----------|-----------|--|
| Dealers Name |          |           |  |
| Order Date   |          |           |  |
| Address      |          |           |  |
|              | Postcode |           |  |
| Phone        |          | Email     |  |
| PO No        |          | Order Ref |  |

### DELIVERY DETAILS

|                    |          |  |  |
|--------------------|----------|--|--|
| Dealers Address    |          |  |  |
|                    |          |  |  |
|                    |          |  |  |
|                    | Postcode |  |  |
| Quantum Specialist |          |  |  |
| Ⓢ Clients Weight   |          |  |  |

### BASE MODEL

14 Colour Options  
Height Adj. Removable Arm Supports  
Centre Mount Foot Platform  
TB3 Seating  
14" Flat Free Drive Tyres  
2" x 6" Flat Free Front Castors



2" x 6" Flat Free Rear Castors  
SRS Suspension System  
Q-Logic 3e Control System  
2 x 62 ah Batteries  
4 Mph (6 Km/h) Motors  
Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature  
FOC = Select Instead of Standard Factory Feature

### DRIVE WHEELS

|                                                                            |          |
|----------------------------------------------------------------------------|----------|
| 3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i> | Standard |
| 3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i> | FOC      |

### COLOURS

|               |          |                   |     |
|---------------|----------|-------------------|-----|
| Back in Black | Standard | Pretty in Pink    | FOC |
| Green Machine | FOC      | Lemon Crush*      | FOC |
| Midnight Blue | FOC      | Night Train*      | FOC |
| Electric Blue | FOC      | Evolution Orange* | FOC |
| Blue Jean     | FOC      | Military Green*   | FOC |
| Deep Purple   | FOC      | Grey Street*      | FOC |
| Red Corvette  | FOC      | Raspberry Beret*  | FOC |

\* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



## SEAT PACKAGES - SEAT WIDTH

|                                    |           |
|------------------------------------|-----------|
| <input type="checkbox"/>           | 12"-16"W. |
| <input type="checkbox"/>           | 14"-16"W. |
| <input type="checkbox"/>           | 16"-20"W  |
| <input type="checkbox"/>           | 20"-22"W  |
| Set width at: <input type="text"/> |           |

## SEAT PACKAGES - SEAT DEPTH

|                                    |           |
|------------------------------------|-----------|
| <input type="checkbox"/>           | 12"-16"D. |
| <input type="checkbox"/>           | 14"-16"D. |
| <input type="checkbox"/>           | 16"-20"D  |
| <input type="checkbox"/>           | 20"-22"D  |
| Set depth at: <input type="text"/> |           |

## STEALTH SEAT CUSHIONS

|                          |                                                                                                              |          |
|--------------------------|--------------------------------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | No Seat Cushion Required                                                                                     | FOC      |
| <input type="checkbox"/> | Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>                  | Standard |
| <input type="checkbox"/> | Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>                          | FOC      |
| <input type="checkbox"/> | TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i> | FOC      |

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

## SEAT POSITIONING

|                                                          |                                                                                  |                                                                                              |
|----------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/>                      | TRU-Balance 3 Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i> | Standard                                                                                     |
| Powered Tilt Seat to Floor Height. <i>From seat pan.</i> |                                                                                  | <input type="checkbox"/> 17.5" <input type="checkbox"/> 18.5" <input type="checkbox"/> 19.5" |

## BACK SUPPORT SPECIFICATIONS

|                                     |                                                                          |          |
|-------------------------------------|--------------------------------------------------------------------------|----------|
| <input checked="" type="checkbox"/> | TRU-Balance 3 Back Support System. <i>Select TB3 back options below.</i> | Standard |
|-------------------------------------|--------------------------------------------------------------------------|----------|

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

## TB3 BACK SUPPORT

|                          |                                                                                                                                 |          |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts.<br><i>Select size in Back Support Dimensions</i> | Standard |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|----------|

## TB3 BACK SUPPORT POSTIONING

|                                     |                                                                                       |          |
|-------------------------------------|---------------------------------------------------------------------------------------|----------|
| <input checked="" type="checkbox"/> | TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i> | Standard |
|-------------------------------------|---------------------------------------------------------------------------------------|----------|

## BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

|                                               |                                                       |                                                       |                                    |                                    |
|-----------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|------------------------------------|------------------------------------|
| Backrest Support Width Package.               |                                                       | <input type="checkbox"/> 12"-14"W.                    | <input type="checkbox"/> 14"-16"W. | <input type="checkbox"/> 16"-20"W. |
|                                               |                                                       | <input type="checkbox"/> 18"-22"W.                    | <input type="checkbox"/> 20"-24"W. |                                    |
| Back Support Width.                           | <input type="checkbox"/> 12"W.                        | <input type="checkbox"/> 14"W.                        | <input type="checkbox"/> 16"W.     | <input type="checkbox"/> 17"W.     |
|                                               | <input type="checkbox"/> 18"W.                        | <input type="checkbox"/> 19"W.                        | <input type="checkbox"/> 20"W.     | <input type="checkbox"/> 21"W.     |
|                                               | <input type="checkbox"/> 22"W.                        | <input type="checkbox"/> 24"W.                        |                                    |                                    |
| Back Support Height.<br><i>From seat pan.</i> | <input type="checkbox"/> 14"H. <i>12"W back only.</i> | <input type="checkbox"/> 15"H. <i>12"W back only.</i> | <input type="checkbox"/> 16"H.     | <input type="checkbox"/> 17"H.     |
|                                               | <input type="checkbox"/> 18"H.                        | <input type="checkbox"/> 19"H.                        | <input type="checkbox"/> 20"H.     | <input type="checkbox"/> 21"H.     |
|                                               | <input type="checkbox"/> 22"H.                        | <input type="checkbox"/> 23"H.                        | <input type="checkbox"/> 24"H.     | <input type="checkbox"/> 25"H.     |
|                                               | <input type="checkbox"/> 26"H.                        | <input type="checkbox"/> 27"H.                        | <input type="checkbox"/> 28"H.     | <input type="checkbox"/> 29"H.     |
|                                               | <input type="checkbox"/> 30"H.                        | <input type="checkbox"/> 31"H.                        | <input type="checkbox"/> 32"H.     |                                    |

19" minimum backrest height when powered recline is selected.

## ARM SUPPORTS

|                   |                                                                                                              |                                                   |
|-------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
|                   | 2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>           | Standard                                          |
|                   | Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.</i> | FOC                                               |
|                   | Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i>        | FOC                                               |
|                   | TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>             | FOC                                               |
| Arm Support Pads. | 10" Standard Standard                                                                                        | 10" Waterfall. <i>Not with TB3 Flip-back.</i> FOC |
|                   | 14" Standard FOC                                                                                             | 14" Waterfall. <i>Not with TB3 Flip-back.</i> FOC |

## CENTRE MOUNTED LEG SUPPORTS

|                                                |                                                                                                                                                        |          |                                                                                                                             |                                                                                                                  |                                                                                                                               |          |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------|
|                                                | Paediatric Adj. Centre Mount Foot Platform. <i>12"-14" seat widths only.</i>                                                                           |          |                                                                                                                             |                                                                                                                  | FOC                                                                                                                           |          |
|                                                | Manually Adjustable Centre Mount Foot Platform. <i>Minimum seat width 14"</i>                                                                          |          |                                                                                                                             |                                                                                                                  | Standard                                                                                                                      |          |
| Lower Leg Extensions.<br><i>From seat pan.</i> |  8"-12". <i>Paediatric centre mount only.</i>                         | FOC      |  10"-16". <i>Manually adjustable only.</i> | FOC                                                                                                              |  13"-19". <i>Manually adjustable only.</i> | STD      |
| Foot Supports.                                 |  10"W x 6"D Split Foot Supports. <i>Paediatric centre mount only.</i> |          |                                                                                                                             |                                                                                                                  |                                                                                                                               | FOC      |
|                                                |  10"W x 8"D Split Foot Supports.                                      | FOC      |  10"W x 11"D Split Foot Supports.          |                                                                                                                  |                                                                                                                               | Standard |
| Calf Support.                                  |  Individual Calf Pads. <i>6"W x 6"H.</i>                              | Standard | }                                                                                                                           |  Calf Panel. <i>18"W x 8"H.</i> | FOC                                                                                                                           |          |

## INDIVIDUALLY MOUNTED LEG SUPPORTS

|  |                                                                                                     |     |
|--|-----------------------------------------------------------------------------------------------------|-----|
|  | 70° Swing-Away. <i>Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".</i>           | FOC |
|  | Manual Elevating Swing-Away. <i>Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".</i> | FOC |

## INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

|            |                                                                                                                                              |                                                                                             |     |                                                                                                 |          |                                                                                                   |     |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------------------|-----|
|            | 60° to 90° Tool Adjustable Swing-Away. <i>Angle &amp; depth adjustable footplates 6"W x 8"D. Select lowers below. Minimum seat width 15"</i> |                                                                                             |     |                                                                                                 |          | FOC                                                                                               |     |
| 60° TO 90° | Lower Leg Extensions.                                                                                                                        |  11"-13" | FOC |  13.5"-16.5" | Standard |  15.5"-19.5" | FOC |
|            | <i>From seat pan.</i>                                                                                                                        |                                                                                             |     |                                                                                                 |          |                                                                                                   |     |

## STEALTH HEAD SUPPORTS

|  |                                                          |          |
|--|----------------------------------------------------------|----------|
|  | UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>  | FOC      |
|  | UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i> | Standard |
|  | UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i> | FOC      |

Please visit [stealthproducts.com](https://stealthproducts.com) for alternative head supports.

## PELVIC BELTS

|   |                                            |          |
|---|--------------------------------------------|----------|
| ✓ | Auto Buckle Lap Belt, Push Button Release. | Standard |
|---|--------------------------------------------|----------|

## EXPANDABLE CONTROLS

Q-Logic 3e and 3 EX hand controls are supplied with built-in Bluetooth.

|                                     |                                                                    |          |
|-------------------------------------|--------------------------------------------------------------------|----------|
| <input checked="" type="checkbox"/> | Q-Logic 3e Controls. <i>2 power option ready.</i>                  | Standard |
| <input type="checkbox"/>            | Control Method.                                                    | Standard |
|                                     | Hand Control. <i>Select position in Hand Control Mounts below.</i> | Standard |
| <input type="checkbox"/>            | Attendant Control. <i>Hand control mounted at rear.</i>            | FOC      |

## HAND CONTROL MOUNTS

|                          |                    |          |
|--------------------------|--------------------|----------|
| <input type="checkbox"/> | Fixed.             | Standard |
| <input type="checkbox"/> | Basic Swing-away.  | FOC      |
| <input type="checkbox"/> | Mounting Position. |          |
|                          | Left Right         |          |

## SPEED PROGRAM & LIGHTS PACKAGE

|                          |                                                                                               |          |
|--------------------------|-----------------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 4 Mph Program with Lights and indicators.                                                     | Standard |
| <input type="checkbox"/> | 6 Mph Program with Lights and indicators.                                                     | FOC      |
| <input type="checkbox"/> | LED Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i> | Standard |
| <input type="checkbox"/> | Omit LED Fender Lights.                                                                       | FOC      |

## ACCESSORIES

|                          |                                                                           |     |
|--------------------------|---------------------------------------------------------------------------|-----|
| <input type="checkbox"/> | Prepare Chassis for Dahl Docking System. <i>Dahl system not included.</i> | FOC |
|--------------------------|---------------------------------------------------------------------------|-----|

## NOTES & SPECIAL REQUESTS



**Quantum®**  
 32 Wedgwood Road, Bicester,  
 Oxon, OX26 4UL  
 Phone: 01869 324600  
 Fax: 01869 323070  
 Email: sales@quantumrehab.co.uk  
 Web: www.quantumrehab.co.uk  
**MOTABILITY ID 710379 - 01/04/25 V1**

