

## Q1450 WITH SYNERGY SEATING

### DEALERS DETAILS

Dealers Name			
Order Date			
Address			
	Postcode		
Phone		Email	
PO No		Order Ref	

### DELIVERY DETAILS

Dealers Address			
	Postcode		
Quantum Specialist			
Ⓞ Clients Weight			

### BASE MODEL

- 5 Colour Options
- Height Adj. Removable Arm Supports
- Flip-up Centre Mount Foot Platform
- Angle Adjustable Back Support
- Spectrum Foam SPP Seat Cushion
- 3" x 14" Flat Free Drive Tyres
- 2" x 9" Flat Free Rear Castors



- 1.5" Anti-tip Wheels
- Swing-arm Suspension System
- VR2 Control System
- 2 x 70 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight:  
42 st 8lbs. (272 kg)

Standard = Standard Factory Feature  
FOC = Select Instead of Standard Factory Feature

### DRIVE WHEELS

- 3" x 14" Flat Free Grey Tyres. Standard

### REAR CASTORS

- 2" x 9" Flat Free Grey Tyres. Standard

### COLOURS

	Back in Black	Standard
	Electric Blue	FOC
	Red Corvette	FOC
	Evolution Orange	FOC
	Pretty in Pink	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.



## SEAT PACKAGES - SEAT WIDTH

<input type="checkbox"/>	20"-24"W.
<input type="checkbox"/>	24"-26"W
<input type="checkbox"/>	26"-28"W
<input type="checkbox"/>	28"-30"W
<input type="checkbox"/>	30"-32"W
Set width at: <input type="text"/>	

## SEAT PACKAGES - SEAT DEPTH

<input type="checkbox"/>	20"-24"D.
<input type="checkbox"/>	24"-28"D
Set depth at: <input type="text"/>	

## STEALTH SEAT CUSHIONS

<input type="checkbox"/>	No Seat Cushion Required	FOC
<input type="checkbox"/>	Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>158.7 Kg weight limit.</i>	STD
<input type="checkbox"/>	Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>158.7 Kg weight limit.</i>	FOC
<input type="checkbox"/>	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

## SEAT POSITIONING

<input checked="" type="checkbox"/>	Static Seat.	Standard			
Static Seat to Floor Height. <i>From seat pan.</i>					
<input type="checkbox"/>	16.5"	<input type="checkbox"/>	17.5"	<input type="checkbox"/>	18.5"

## SYNERGY BACK SUPPORTS

<input type="checkbox"/>	Synergy Visco Padded Back. <i>Height range 17" to 25" tall from seat pan.</i>	Standard
<input type="checkbox"/>	HD Sling Back. <i>Height range 14" to 25" tall from seat pan.</i>	FOC
Enter height preference here. <input type="text"/>		

## BACK SUPPORT POSITIONING

<input checked="" type="checkbox"/>	Tool Angle Adjustable. <i>85° to 120° in 5° increments.</i>	Standard								
<input type="checkbox"/>	1" Endo Cane Mounts. <i>Reduces backrest width by 2" compared to seat width.</i>	FOC								
<input type="checkbox"/>	2" Endo Cane Mounts. <i>Reduces backrest width by 4" compared to seat width.</i>	FOC								
Back Cane Height.	<input type="checkbox"/>	16"H.	<input type="checkbox"/>	17"H.	<input type="checkbox"/>	18"H.	<input type="checkbox"/>	19"H.	<input type="checkbox"/>	20"H.
<i>From seat pan.</i>	<input type="checkbox"/>	21"H.	<input type="checkbox"/>	22"H.	<input type="checkbox"/>	23"H.	<input type="checkbox"/>	24"H.	<input type="checkbox"/>	25"H.

## ARM SUPPORTS

<input type="checkbox"/>	HD Single Post Tool Height Adjustable Removable.	Standard				
<input type="checkbox"/>	Bariatric Single Post Tool Height Adjustable Removable.	FOC				
HD & Bariatric Height Package. <i>From seat pan.</i>						
<input type="checkbox"/>	8"-12"	FOC	<input type="checkbox"/>	10"-14"	Standard	
<input type="checkbox"/>	Cantilever Flip-Up Armrests. <i>Adj. range 11"-17". Not available with HD sling back support. Increases overall width by 7".</i>					FOC
Arm Support Pads.	<input type="checkbox"/>	10" Standard. <i>Not available with Bariatric.</i>				FOC
	<input type="checkbox"/>	14" Standard. <i>Not available with Bariatric.</i>				Standard
	<input type="checkbox"/>	10" Waterfall. <i>Not available with Bariatric.</i>				FOC
	<input type="checkbox"/>	14" Waterfall. <i>Not available with Bariatric.</i>				FOC
	<input type="checkbox"/>	Bariatric. <i>Bariatric arm supports only.</i>				FOC

## CENTRE MOUNTED LEG SUPPORTS

17"W x 13"D Base Mounted Flip-up Foot Platform. <i>Mounted to chassis.</i>	Standard
17"W x 16"D Base Mounted Flip-up Foot Platform. <i>Mounted to chassis.</i>	FOC

## INDIVIDUALLY MOUNTED LEG SUPPORTS

70° HD Drop-in Swing-away.	FOC						
70° HD Lower Extensions. <i>From seat pan.</i>	<table border="0"> <tr> <td>8.5"-12".</td> <td>FOC</td> <td>13"-18".</td> <td>Standard</td> <td>16"-21".</td> <td>FOC</td> </tr> </table>	8.5"-12".	FOC	13"-18".	Standard	16"-21".	FOC
8.5"-12".	FOC	13"-18".	Standard	16"-21".	FOC		
70° HD Foot Supports.	<table border="0"> <tr> <td>6"W x 8"D.</td> <td>Standard</td> <td>6"W x 11"D.</td> <td>FOC</td> <td>8"W x 11"D.</td> <td>FOC</td> </tr> </table>	6"W x 8"D.	Standard	6"W x 11"D.	FOC	8"W x 11"D.	FOC
6"W x 8"D.	Standard	6"W x 11"D.	FOC	8"W x 11"D.	FOC		

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information. Adjustment ranges above are from seat pan to foot supports. Individual leg supports are supplied with heel loops.

Stealth Residual Limb Support (each). <i>Includes a 60-90° Swing-away leg support hanger for mounting.</i>	LEFT	£300	Limb Support	£300	RIGHT
--	------	------	--------------	------	-------

## PELVIC SOLUTIONS

✓ Auto Buckle Lap Belt, Push Button Release.	Standard												
Auto Buckle Lap Belt Length.	<table border="0"> <tr> <td>60".</td> <td>Standard</td> <td>70".</td> <td>FOC</td> <td>80".</td> <td>FOC</td> </tr> <tr> <td>90".</td> <td>FOC</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	60".	Standard	70".	FOC	80".	FOC	90".	FOC				
60".	Standard	70".	FOC	80".	FOC								
90".	FOC												

## NON-EXPANDABLE CONTROLS

✓ VR2 Controls. <i>With no power options.</i>	Standard	
Control Method.	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard

## HAND CONTROL MOUNTS

Fixed.	Standard		
Basic Swing-away.	FOC		
Mounting Position.	<table border="0"> <tr> <td>Left</td> <td>Right</td> </tr> </table>	Left	Right
Left	Right		

## SPEED PROGRAM

✓ 4 Mph Program	Standard
-----------------	----------

## NOTES & SPECIAL REQUESTS



**Quantum®**  
 32 Wedgwood Road, Bicester,  
 Oxon, OX26 4UL  
 Phone: 01869 324600  
 Fax: 01869 323070  
 Email: sales@quantumrehab.co.uk  
 Web: www.quantumrehab.co.uk  
**Motability ID 713665 - 01/04/25 V1**

