

MOTABILITY ID 1003163

Q6 EDGE 2.0 HD WITH TB3 SEATING / POWER TILT / POWER FOOT SUPPORTS

DEALERS DETAILS

Dealers Name	
Order Date	
Address	
Postcode	
Phone	Email
PO No	Order Ref

DELIVERY DETAILS

Dealers Address	
Postcode	
Quantum Specialist	
Clients Weight	

BASE MODEL

- 13 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- 14" Flat Free Drive Tyres
- 2" x 6" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) 4-Pole Motors
- Max User Weight: 28 st 5lbs. (181.0 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	Standard
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

Back in Black	Standard	Pretty in Pink	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Deep Purple	FOC	Military Green*	FOC
Red Corvette	FOC	Grey Street*	FOC

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

20"-24"W
Set width at: <input type="text"/>

SEAT PACKAGES - SEAT DEPTH

20"-24"D
Set depth at: <input type="text"/>

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>226.7 Kg weight limit.</i>	STD
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>181.4 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>204 Kg weight limit.</i>	FOC
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>181.4 Kg weight limit.</i>	FOC
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>226.7 Kg weight limit.</i>	FOC
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. <i>204 Kg weight limit.</i>	FOC
Premiere P: Positioning, 4-way stretch, Coolcore cover. <i>226.7 Kg weight limit.</i>	FOC
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. <i>340 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

TRU-Balance 3 HD Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i>	Standard
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<input type="checkbox"/> 17.5" <input type="checkbox"/> 18.5" <input type="checkbox"/> 19.5"

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. <i>Select TB3 back options below. Ignore all 'Back Cane' options.</i>	Standard
Back Canes Only System. <i>Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.</i>	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i>	Standard
--	----------

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. <i>Angle can be preset manually.</i>	Standard
TRU-Balance 3 Flip-forward Back. <i>Not available with TB3 flip-back arm supports. Not suitable for occupied transport.</i>	FOC

BACK CANE ONLY SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i>	Standard
Back Cane Only Support Positioning. <input type="checkbox"/> Tool Angle Adjustable. <i>85° to 120° in 5° increments.</i>	Standard
Back Cane Height. <i>From seat pan.</i>	<input type="checkbox"/> 16"H. <input type="checkbox"/> 17"H. <input type="checkbox"/> 18"H. <input type="checkbox"/> 19"H. <input type="checkbox"/> 20"H. <input type="checkbox"/> 21"H. <input type="checkbox"/> 22"H. <input type="checkbox"/> 23"H. <input type="checkbox"/> 24"H. <input type="checkbox"/> 25"H.

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package.		16"-20"W.	20"-24"W.
Back Support Width.	16"W.	17"W.	18"W.
	20"W.	21"W.	22"W.
Back Support Height. <i>From seat pan.</i>	16"H.	17"H.	18"H.
	20"H.	21"H.	22"H.
	24"H.	25"H.	19"H.

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

Height Adjustable, Removable, Heavy Duty.		Standard
HD Removable Height Package. <i>From seat pan.</i>	8"-12"H.	FOC
	10"-14"H.	Standard
TB3 Flip-back with Down Posts. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>		FOC
Arm Support Pads	10" Standard	Standard
	14" Standard	FOC
	17" Standard. <i>TB3 only. Minimum seat depth 16".</i>	£50
	10" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC
	14" Waterfall. <i>Not with Std flip-up or TB Flex.</i>	FOC

CENTRE MOUNTED LEG SUPPORTS

Power Elevating Articulating Centre Mount Foot Platform. <i>Uses 1 power option.</i>		Standard
Lower Leg Extensions. <i>From seat pan.</i>	10"-16".	Standard
	13"-19".	FOC
Foot Supports.	10"W x 8"D Split Foot Supports.	FOC
	10"W x 11"D Split Foot Supports.	Standard
Calf Support.	Individual Calf Pads. <i>8"W x 6"H.</i>	Standard
	Calf Panel. <i>18"W x 8"H.</i>	FOC

Certain configurations may result in reduced ground clearance below foot supports. Contact Quantum Technical for information.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	FOC
UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	Standard
UniLink 14" Adjustable Comfort Plus. <i>HMO475-17M / ACP150M.</i>	FOC

Please visit stealthproducts.com for alternative head supports.

EXPANDABLE CONTROLS

✓ Q-Logic 3e. <i>3 power option ready.</i>	Standard	
Control Method.	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	Attendant Control. <i>Hand control mounted at rear.</i>	FOC

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.				Standard
<input type="checkbox"/>	Basic Swing-away.				FOC
Mounting Position.					
<input type="checkbox"/>	Left	FOC	<input type="checkbox"/>	Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

<input checked="" type="checkbox"/>	4 Mph Program with Lights and indicators.				Standard
-------------------------------------	---	--	--	--	----------

NOTES & SPECIAL REQUESTS

Large yellow rectangular area for notes and special requests.



Quantum®
32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
Motability ID 1003163 - 01/07/25 V1

