

Q6 EDGE 2.0 WITH TB FLEX SEATING / PWR TILT / PWR FOOT SUPPORTS

DEALERS DETAILS

Dealers Name			
Order Date			
Address			
	Postcode		
Phone		Email	
PO No		Order Ref	

DELIVERY DETAILS

Dealers Address			
	Postcode		
Quantum Specialist			
Clients Weight			

BASE MODEL

12 Colour Options
Height Adj. Removable Arm Supports
Centre Mount Leg Supports
Angle Adj. Fold-Forward Back Support
14" Flat Free Drive Tyres
2" x 6" Flat Free Front Castors



2" x 6" Flat Free Rear Castors
ATX Suspension System
QLNES Control System
2 x 62 ah Batteries
4 Mph (6 Km/h) Motors
Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard	Red Corvette	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Pretty in Pink	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC

* Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

15" Width	FOC	16" Width	FOC
17" Width	FOC	18" Width	Standard
19" Width	FOC	20" Width	FOC

SEAT DEPTH

15" Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

	No Seat Cushion Required	FOC
	Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

	Powered Seat Tilt. <i>0° to 30°. Uses 1 power option.</i>	Standard
	Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	16" 17" 18"

STANDARD BACK SUPPORT POSITIONING

	Manual Angle Settable, Fold-Forward. <i>Adjustment range 95° to 125°.</i>	Standard
--	---	----------

STANDARD BACK SUPPORTS

	TRU-Comfort 2. <i>Plastic shell, 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.</i>	Standard
--	--	----------

ARM SUPPORTS

	TB Flex Height Adjustable, Removable, Drop-in T Arm. <i>Adjustment range 9" to 14" from seat pan.</i>				Standard	
	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>				FOC	
Arm Support Pads		10" Standard	Standard		10" Waterfall.	FOC
		14" Standard	FOC		14" Waterfall.	FOC

LEG SUPPORTS

	Power Elevating Articulating Centre Mount Foot Platform. <i>5"W x 11"L Footplates. Extension range 10" to 19". Min. seat width 15"</i>	Standard
❶ Enter seat pan to heel measurement. <i>If NO measurement is supplied, standard factory length option will be fitted.</i>		
	Power Elevating Articulating Swing-Away. <i>5"W x 7"D foot supports. Ext. range 9" to 21". Min. seat width 15". Uses 2 power options</i>	FOC
Powered Leg Support Operation Method.	Independent. <i>Uses 2 power options.</i> Combined. <i>Uses 1 power option.</i>	

STEALTH HEAD SUPPORTS

	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

	Auto Buckle Lap Belt, Push Button Release.	Standard
--	--	----------

NON-EXPANDABLE CONTROLS

☐	QLNES Controls. <i>3 power option ready.</i>	Standard
☐ Control Method.	☐ Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	☐ Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

☐	Fixed.	Standard
☐	Swing away.	FOC
☐ Mounting Position.	☐ Left	☐ Right

SPEED PROGRAM & LIGHTS PACKAGE

☐	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
--------------------------	---	----------

NOTES & SPECIAL REQUESTS



Quantum®
32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
Motability ID 1010122 - 01/10/25

