

Q6 EDGE 2.0 WITH TB FLEX SEATING / POWER TILT / POWER RECLINE / PRO BACK

DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone Email

PO No Order Ref

DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Clients Weight

BASE MODEL

- 12 Colour Options
- Height Adj. Removable Arm Supports
- 70° Swing-Away Leg Supports
- Angle Adj. Fold-Forward Back Support
- 14" Flat Free Drive Tyres
- 2" x 6" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- ATX Suspension System
- QLNES Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

<input type="checkbox"/>	3" x 14" Flat Free Black Tyres.	Standard
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Red Corvette	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Pretty in Pink	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC

* Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

<input type="checkbox"/>	15" Width	FOC	<input type="checkbox"/>	16" Width	FOC
<input type="checkbox"/>	17" Width	FOC	<input type="checkbox"/>	18" Width	Standard
<input type="checkbox"/>	19" Width	FOC	<input type="checkbox"/>	20" Width	FOC

SEAT DEPTH

<input type="checkbox"/>	15" Depth	FOC	<input type="checkbox"/>	16" Depth	FOC
<input type="checkbox"/>	17" Depth	FOC	<input type="checkbox"/>	18" Depth	Standard
<input type="checkbox"/>	19" Depth	FOC	<input type="checkbox"/>	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

✓ Powered Seat Tilt. <i>0° to 30°. Uses 1 power option.</i>	Standard			
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<table border="1"> <tr> <td>16"</td> <td>17"</td> <td>18"</td> </tr> </table>	16"	17"	18"
16"	17"	18"		

STANDARD BACK SUPPORT POSITIONING

✓ Powered Back Recline. <i>Adjustment range 95° to 125°. Uses 1 power option.</i>	Standard
---	----------

STEALTH PRO BACK SUPPORTS

Standard, Coolcore Cover. <i>Solid back, 9 cm contour.</i>	FOC				
Active, Coolcore Cover. <i>Solid back, 12 cm contour.</i>	Standard				
Extra Deep Active, Coolcore Cover. <i>Solid back, 17 cm contour.</i>	FOC				
Active Flex, Coolcore Cover. <i>Tension adjustable straps. 12 cm contour.</i>	FOC				
Back Height	<table border="1"> <tr> <td>50 cm. <i>Actual height.</i></td> <td>Standard</td> <td>57 cm. <i>Actual height.</i></td> <td>FOC</td> </tr> </table>	50 cm. <i>Actual height.</i>	Standard	57 cm. <i>Actual height.</i>	FOC
50 cm. <i>Actual height.</i>	Standard	57 cm. <i>Actual height.</i>	FOC		

The back support width will match the seat width selected in seat dimensions.

ARM SUPPORTS

TB Flex Height Adjustable, Removable, Drop-in T Arm. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard								
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	FOC								
Arm Support Pads	<table border="1"> <tr> <td>10" Standard</td> <td>Standard</td> <td>10" Waterfall.</td> <td>FOC</td> </tr> <tr> <td>14" Standard</td> <td>FOC</td> <td>14" Waterfall.</td> <td>FOC</td> </tr> </table>	10" Standard	Standard	10" Waterfall.	FOC	14" Standard	FOC	14" Waterfall.	FOC
10" Standard	Standard	10" Waterfall.	FOC						
14" Standard	FOC	14" Waterfall.	FOC						

LEG SUPPORTS

70° Swing-away. <i>Adjustment range 12" to 15".</i>	Standard
Manual Elevating Swing-Away. <i>Adjustment range 15" to 20".</i>	FOC
Manually Adjustable Centre Mount Foot Platform. <i>Adjustment range range 10" to 19"W x 11"L Footplates.</i>	FOC

Enter seat pan to heel measurement. *If no measurement is supplied the standard factory length option will be fitted.*

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

✓ Auto Buckle Lap Belt, Push Button Release.	Standard
--	----------

NON-EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	QLNES Controls. <i>2 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
<input type="checkbox"/>	Basic swing away.	FOC
Mounting Position.	<input type="checkbox"/> Left	
	<input type="checkbox"/> Right	

SPEED PROGRAM & LIGHTS PACKAGE

<input checked="" type="checkbox"/>	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
-------------------------------------	---	----------

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1002474 - 01/04/25

