

Q6 EDGE 2.0 WITH TB FLEX SEATING / PWR FOOT SUPPORTS/ PRO BACK

DEALERS DETAILS

Dealers Name	
Order Date	
Address	
Postcode	
Phone	Email
PO No	Order Ref

DELIVERY DETAILS

Dealers Address	
Postcode	
Quantum Specialist	
Clients Weight	

BASE MODEL

- 12 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Leg Supports
- Angle Adj. Fold-Forward Back Support
- 14" Flat Free Drive Tyres
- 2" x 6" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- ATX Suspension System
- QLNES Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
 FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard	Red Corvette	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Pretty in Pink	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC

* Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

15" Width	FOC	16" Width	FOC
17" Width	FOC	18" Width	Standard
19" Width	FOC	20" Width	FOC

SEAT DEPTH

15" Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

Static Seat.	Standard			
Static Seat to Floor Height. <i>From seat pan.</i>	<table border="1"> <tr> <td>16"</td> <td>17"</td> <td>18"</td> </tr> </table>	16"	17"	18"
16"	17"	18"		

STANDARD BACK SUPPORT POSITIONING

Manual Angle Settable, Fold-Forward. <i>Adjustment range 95° to 125°.</i>	Standard
---	----------

STEALTH PRO BACK SUPPORTS

Standard, Coolcore Cover. <i>Solid back, 9 cm contour.</i>	FOC				
Active, Coolcore Cover. <i>Solid back, 12 cm contour.</i>	Standard				
Extra Deep Active, Coolcore Cover. <i>Solid back, 17 cm contour.</i>	FOC				
Active Flex, Coolcore Cover. <i>Tension adjustable straps. 12 cm contour.</i>	FOC				
Back Height	<table border="1"> <tr> <td>50 cm. <i>Actual height.</i></td> <td>Standard</td> <td>57 cm. <i>Actual height.</i></td> <td>FOC</td> </tr> </table>	50 cm. <i>Actual height.</i>	Standard	57 cm. <i>Actual height.</i>	FOC
50 cm. <i>Actual height.</i>	Standard	57 cm. <i>Actual height.</i>	FOC		

The back support width will match the seat width selected in seat dimensions.

ARM SUPPORTS

TB Flex Height Adjustable, Removable, Drop-in T Arm. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard								
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16"</i>	FOC								
Arm Support Pads	<table border="1"> <tr> <td>10" Standard</td> <td>Standard</td> <td>10" Waterfall.</td> <td>FOC</td> </tr> <tr> <td>14" Standard</td> <td>FOC</td> <td>14" Waterfall.</td> <td>FOC</td> </tr> </table>	10" Standard	Standard	10" Waterfall.	FOC	14" Standard	FOC	14" Waterfall.	FOC
10" Standard	Standard	10" Waterfall.	FOC						
14" Standard	FOC	14" Waterfall.	FOC						

LEG SUPPORTS

Power Elevating Articulating Centre Mount Foot Platform. <i>5"W x 11"L Footplates. Extension range 10" to 19". Min. seat width 15"</i>	Standard		
ⓘ Enter seat pan to heel measurement. <i>If NO measurement is supplied, standard factory length option will be fitted.</i>			
Power Elevating Articulating Swing-Away. <i>5"W x 7"D foot supports. Ext. range 9" to 21". Min. seat width 15". Uses 2 power options</i>	FOC		
Powered Leg Support Operation Method.	<table border="1"> <tr> <td>Independent. <i>Uses 2 power options.</i></td> <td>Combined. <i>Uses 1 power option.</i></td> </tr> </table>	Independent. <i>Uses 2 power options.</i>	Combined. <i>Uses 1 power option.</i>
Independent. <i>Uses 2 power options.</i>	Combined. <i>Uses 1 power option.</i>		

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.	Standard
--	----------

NON-EXPANDABLE CONTROLS

<input type="checkbox"/>	QLNES Controls. <i>2 power option ready.</i>	Standard
<input type="checkbox"/> Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in hand control mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
<input type="checkbox"/>	Swing away.	FOC
<input type="checkbox"/> Mounting Position.	<input type="checkbox"/> Left	<input type="checkbox"/> Right

SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
--------------------------	---	----------

NOTES & SPECIAL REQUESTS

[Large yellow rectangular area for notes and special requests]



Quantum®
32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
Motability ID 1010124 - 01/10/25

