

Q6 EDGE 2.0 WITH TB FLEX SEATING / PWR TILT / PWR RECLINE / PWR FOOT SUPPORTS

DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone Email

PO No Order Ref

DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Clients Weight

BASE MODEL

- 12 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Leg Supports
- Angle Adj. Fold-Forward Back Support
- 14" Flat Free Drive Tyres
- 2" x 6" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- ATX Suspension System
- Q-Logic 3e Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
 FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

<input type="checkbox"/>	3" x 14" Flat Free Black Tyres.	Standard
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Red Corvette	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Pretty in Pink	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC

* Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

<input type="checkbox"/>	15" Width	FOC	<input type="checkbox"/>	16" Width	FOC
<input type="checkbox"/>	17" Width	FOC	<input type="checkbox"/>	18" Width	Standard
<input type="checkbox"/>	19" Width	FOC	<input type="checkbox"/>	20" Width	FOC

SEAT DEPTH

<input type="checkbox"/>	15" Depth	FOC	<input type="checkbox"/>	16" Depth	FOC
<input type="checkbox"/>	17" Depth	FOC	<input type="checkbox"/>	18" Depth	Standard
<input type="checkbox"/>	19" Depth	FOC	<input type="checkbox"/>	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

Powered Seat Tilt. <i>0° to 30°. Uses 1 power option.</i>	Standard
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18"

STANDARD BACK SUPPORT POSITIONING

Powered Back Recline. <i>Adjustment range 95° to 125°. Uses 1 power option.</i>	Standard
---	----------

STANDARD BACK SUPPORTS

TRU-Comfort 2. <i>Plastic shell, 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.</i>	Standard
--	----------

ARM SUPPORTS

TB Flex Height Adjustable, Removable, Drop-in T Arm. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard								
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	FOC								
Arm Support Pads	<table border="1"> <tr> <td><input type="checkbox"/> 10" Standard</td> <td>Standard</td> <td><input type="checkbox"/> 10" Waterfall.</td> <td>FOC</td> </tr> <tr> <td><input type="checkbox"/> 14" Standard</td> <td>FOC</td> <td><input type="checkbox"/> 14" Waterfall.</td> <td>FOC</td> </tr> </table>	<input type="checkbox"/> 10" Standard	Standard	<input type="checkbox"/> 10" Waterfall.	FOC	<input type="checkbox"/> 14" Standard	FOC	<input type="checkbox"/> 14" Waterfall.	FOC
<input type="checkbox"/> 10" Standard	Standard	<input type="checkbox"/> 10" Waterfall.	FOC						
<input type="checkbox"/> 14" Standard	FOC	<input type="checkbox"/> 14" Waterfall.	FOC						

LEG SUPPORTS

Power Elevating Articulating Centre Mount Foot Platform. <i>5"W x 11"L Footplates. Extension range 10" to 19". Min. seat width 15"</i>	Standard
ⓘ Enter seat pan to heel measurement. <input type="checkbox"/> <i>If NO measurement is supplied, standard factory length option will be fitted.</i>	
Power Elevating Articulating Swing-Away. <i>5"W x 7"D foot supports. Ext. range 9" to 21". Min. seat width 15". Uses 2 power options</i>	FOC
Powered Leg Support Operation Method.	<input type="checkbox"/> Independent. <i>Uses 2 power options.</i> <input type="checkbox"/> Combined. <i>Uses 1 power option.</i>

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.	Standard
--	----------

NON-EXPANDABLE CONTROLS

Q-Logic 3e Controls. <i>5 power option ready.</i>	Standard
Control Method.	Standard
Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

Fixed.	Standard
Swing away.	FOC
Mounting Position.	Left
	Right

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. <i>Lights and indicators not included.</i>	Standard
---	----------

NOTES & SPECIAL REQUESTS

[This area is currently blank and highlighted in yellow, intended for notes and special requests.]



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1010123 - 01/10/25

