

Q6 EDGE 2.0 WITH TB FLEX SEATING / PWR TILT / PWR RECLINE / PWR FOOT SUPPORTS / PRO BACK

DEALERS DETAILS

Dealers Name			
Order Date			
Address			
	Postcode		
Phone		Email	
PO No		Order Ref	

DELIVERY DETAILS

Dealers Address			
	Postcode		
Quantum Specialist			
Clients Weight			

BASE MODEL

12 Colour Options
Height Adj. Removable Arm Supports
Centre Mount Leg Supports
Angle Adj. Fold-Forward Back Support
14" Flat Free Drive Tyres
2" x 6" Flat Free Front Castors



2" x 6" Flat Free Rear Castors
ATX Suspension System
Q-Logic 3e Control System
2 x 62 ah Batteries
4 Mph (6 Km/h) Motors
Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard	Red Corvette	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Pretty in Pink	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC

* Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT WIDTH

15" Width	FOC	16" Width	FOC
17" Width	FOC	18" Width	Standard
19" Width	FOC	20" Width	FOC

SEAT DEPTH

15" Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

☐	No Seat Cushion Required	FOC
☐	Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
☐	TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

☐	Powered Seat Tilt. <i>0° to 30°. Uses 1 power option.</i>	Standard
☐	Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	☐ 16" ☐ 17" ☐ 18"

STANDARD BACK SUPPORT POSITIONING

☐	Powered Back Recline. <i>Adjustment range 95° to 125°. Uses 1 power option.</i>	Standard
--------------------------	---	----------

STEALTH PRO BACK SUPPORTS

☐	Standard, Coolcore Cover. <i>Solid back, 9 cm contour.</i>	FOC
☐	Active, Coolcore Cover. <i>Solid back, 12 cm contour.</i>	Standard
☐	Extra Deep Active, Coolcore Cover. <i>Solid back, 17 cm contour.</i>	FOC
☐	Active Flex, Coolcore Cover. <i>Tension adjustable straps. 12 cm contour.</i>	FOC
☐	Back Height ☐ 50 cm. <i>Actual height.</i>	Standard ☐ 57 cm. <i>Actual height.</i> FOC

The back support width will match the seat width selected in seat dimensions.

ARM SUPPORTS

☐	TB Flex Height Adjustable, Removable, Drop-in T Arm. <i>Adjustment range 9" to 14" from seat pan.</i>	Standard
☐	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	FOC
☐	Arm Support Pads ☐ 10" Standard	Standard ☐ 10" Waterfall. FOC
☐	☐ 14" Standard	FOC ☐ 14" Waterfall. FOC

LEG SUPPORTS

☐	Power Elevating Articulating Centre Mount Foot Platform. <i>5"W x 11"L Footplates. Extension range 10" to 19". Min. seat width 15"</i>	Standard
☐	☐ Enter seat pan to heel measurement. ☐ If NO measurement is supplied, standard factory length option will be fitted.	
☐	Power Elevating Articulating Swing-Away. <i>5"W x 7"D foot supports. Ext. range 9" to 21". Min. seat width 15". Uses 2 power options</i>	FOC
☐	Powered Leg Support Operation Method. ☐ Independent. <i>Uses 2 power options.</i>	☐ Combined. <i>Uses 1 power option.</i>

STEALTH HEAD SUPPORTS

☐	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
☐	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

☐	Auto Buckle Lap Belt, Push Button Release.	Standard
--------------------------	--	----------

NON-EXPANDABLE CONTROLS

☐	Q-Logic 3eControls. <i>5 power option ready.</i>	Standard
☐	Control Method. ☐ Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	☐ Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

☐	Fixed.	Standard
☐	Swing away.	FOC
☐	Mounting Position. ☐ Left	☐ Right

SPEED PROGRAM & LIGHTS PACKAGE

☐	4 Mph Program. <i>Lights and indicators not included.</i>	Standard
--------------------------	---	----------

NOTES & SPECIAL REQUESTS

3



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1010126 - 01/10/25

