

MOTABILITY ID 721029

Q6 EDGE 2.0 WITH TB3 SEAT / POWER TILT / POWER RECLINE

DEALERS DETAILS

Dealers Name	
Order Date	
Address	
Postcode	
Phone	Email
PO No	Order Ref

DELIVERY DETAILS

Dealers Address	
Postcode	
Quantum Specialist	
Ⓢ Clients Weight	

BASE MODEL

- 12 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- Auto Buckle Lap Belt
- 14" Flat Free Drive Tyres
- 2" x 6" Flat Free Front Castors



- 2" x 6" Flat Free Rear Castors
- ATX Suspension System
- QLNES Control System
- 2 x 62 ah Batteries
- 4 Mph (6 Km/h) 4-Pole Motors
- Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	Standard
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

Back in Black	Standard	Red Corvette	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Pretty in Pink	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

12"-16"W.
14"-16"W.
16"-20"W.
20"-22"W.
Set width at: <input type="text"/>

SEAT PACKAGES - SEAT DEPTH

12"-16"D.
14"-16"D.
16"-20"D.
20"-22"D.
Set depth at: <input type="text"/>

STEALTH SEAT CUSHIONS

No Seat Cushion Required.	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

TRU-Balance 3 Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i>	Standard
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<input type="checkbox"/> 17.5" <input type="checkbox"/> 18.5" <input type="checkbox"/> 19.5"

BACKREST SPECIFICATIONS

<input checked="" type="checkbox"/> TRU-Balance 3 Back Support System. <i>Include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts. Select TB3 back options below.</i>	Standard
---	----------

TB3 BACK SUPPORT POSITIONING

<input checked="" type="checkbox"/> TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i>	Standard
---	----------

BACK SUPPORT DIMENSIONS

Back Support can be +/- 4" of seat width with TB3 Back Support System.

Backrest Support Width Package.	<input type="checkbox"/> 12"-14"W.	<input type="checkbox"/> 14"-16"W.	<input type="checkbox"/> 16"-20"W.
	<input type="checkbox"/> 18"-22"W.	<input type="checkbox"/> 20"-24"W.	
Back Support Width.	<input type="checkbox"/> 12"W.	<input type="checkbox"/> 14"W.	<input type="checkbox"/> 16"W.
	<input type="checkbox"/> 18"W.	<input type="checkbox"/> 19"W.	<input type="checkbox"/> 20"W.
	<input type="checkbox"/> 22"W.	<input type="checkbox"/> 24"W.	<input type="checkbox"/> 17"W.
Back Support Height.	<input type="checkbox"/> 19"H.	<input type="checkbox"/> 20"H.	<input type="checkbox"/> 21"H.
	<input type="checkbox"/> 23"H.	<input type="checkbox"/> 24"H.	<input type="checkbox"/> 22"H.
	<input type="checkbox"/> 27"H. <i>Not available with 24"W back.</i>	<input type="checkbox"/> 28"H. <i>Not available with 24"W back.</i>	<input type="checkbox"/> 25"H. <i>Not available with 24"W back.</i>
<i>From seat pan.</i>	<input type="checkbox"/> 29"H. <i>Not available with 24"W back.</i>	<input type="checkbox"/> 26"H. <i>Not available with 24"W back.</i>	

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	Standard
	Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"-9.75" from seat pan. 10" pads only.</i>	FOC
	Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i>	FOC
	TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>	FOC
Arm Support Pads.	10" Standard Standard	10" Waterfall. <i>Not with TB3 Flip-back</i> FOC
	14" Standard FOC	14" Waterfall. <i>Not with TB3 Flip-back</i> FOC

CENTRE MOUNTED LEG SUPPORTS

	Manually Adjustable Centre Mount Foot Platform. <i>Minimum seat width 14".</i>	Standard	
	Paediatric Adj. Centre Mount Foot Platform. <i>12"-14" seat widths only.</i>	FOC	
Lower Leg Extensions. <i>From seat pan.</i>	8"-12". <i>Paediatric centre mount only.</i> FOC	10"-16". Standard	13"-19". FOC
Foot Supports.	10"W x 6"D Split Foot Supports. <i>Paediatric centre mount only.</i>		FOC
	10"W x 8"D Split Foot Supports. FOC	10"W x 11"D Split Foot Supports. Standard	
Calf Support.	Individual Calf Pads. <i>6"W x 6"H.</i>		Standard

INDIVIDUALLY MOUNTED LEG SUPPORTS

	70° Swing-Away. <i>Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".</i>	FOC
	Manual Elevating Swing-Away. <i>Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".</i>	FOC

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	60° to 90° Tool Adjustable Swing-Away. <i>Angle & depth adjustable footplates 6"W x 8"D. Select lowers below. Minimum seat width 15"</i>	FOC	
Lower Leg Extensions. <i>From seat pan.</i>	11"-13" FOC	13.5"-16.5" Standard	15.5"-19.5" FOC

STEALTH HEAD SUPPORTS

	UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

Please visit stealthproducts.com for alternative head supports.

NON-EXPANDABLE CONTROLS

✓	QLNES Controls. <i>2 power option ready.</i>	Standard
Control Method.	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
<input type="checkbox"/>	Basic swing-away.	FOC
Mounting Position. <input type="checkbox"/> Left <input type="checkbox"/> Right		

SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	2-Pole Motors & 4 Mph Program with Lights and indicators.	Standard
<input type="checkbox"/>	2-Pole Motors & 6 Mph Program with Lights and indicators.	FOC

ACCESSORIES

<input type="checkbox"/>	Prepare Chassis for Dahl Docking System. <i>Dahl system not included.</i>	FOC
--------------------------	---	-----

NOTES & SPECIAL REQUESTS

Large yellow rectangular area for notes and special requests.



Quantum®
32 Wedgwood Road, Bicester,
Oxon, OX26 4UL
Phone: 01869 324600
Fax: 01869 323070
Email: sales@quantumrehab.co.uk
Web: www.quantumrehab.co.uk
MOTABILITY ID 721029 - 01/04/25 V1

