



MOTABILITY ID 1001054

R-TRAK WITH TB FLEX SEATING / POWER TILT

DEALERS DETAILS

Dealers Name	
Order Date	
Address	
	Postcode
Phone	Email
PO No	Order Ref

DELIVERY DETAILS

Dealers Address	
	Postcode
Quantum Specialist	
Ⓞ Clients Weight	

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- Angle Adj. Fold-Forward Back Support
- 14" Flat Free Drive Tyres
- 3" x 9" Flat Free Front Castors



- SRS Suspension System
- QLNES Control System
- 2 x 70 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight:
21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	Standard
3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

FRONT CASTORS

3" x 9" Flat Free Black Tyres.	Standard
3" x 9" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard	Pretty in Pink	FOC
Green Machine	FOC	Lemon Crush*	FOC
Midnight Blue	FOC	Night Train*	FOC
Electric Blue	FOC	Evolution Orange*	FOC
Blue Jean	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC
Red Corvette	FOC	Raspberry Beret*	FOC

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

15"W.	FOC	19"W.	FOC
16"W.	FOC	20"W.	FOC
17"W.	FOC	21"W.	FOC
18"W.	Standard	22"W.	FOC

SEAT PACKAGES - SEAT DEPTH

15"D.	FOC	19"D.	FOC
16"D.	FOC	20"D.	FOC
17"D.	FOC		
18"D.	Standard		

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

✓ Powered Seat Tilt. <i>0° to 30°. Uses 1 power option.</i>	Standard					
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<table border="1"> <tr> <td>17.5"</td> <td>18"</td> <td>Changes Tilt range to -5° to 25°</td> <td>18.5"</td> <td>Changes Tilt range to -10° to 20°</td> </tr> </table>	17.5"	18"	Changes Tilt range to -5° to 25°	18.5"	Changes Tilt range to -10° to 20°
17.5"	18"	Changes Tilt range to -5° to 25°	18.5"	Changes Tilt range to -10° to 20°		

STANDARD BACK SUPPORT POSITIONING

✓ Manual Angle Settable, Fold-Forward. <i>Adj. range 95° to 125°.</i>	Standard
---	----------

STANDARD BACK SUPPORT

✓ TRU-Comfort 2. <i>4-way stretch cover. Adjustable range 24.5" to 28" from seat board.</i>	Standard
---	----------

ARM SUPPORTS

TB Flex Removable, Quick Release. <i>Adj. range 9" to 14" from seat pan.</i>	Standard								
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>	FOC								
Arm Support Pads.	<table border="1"> <tr> <td>10" Standard</td> <td>Standard</td> <td>10" Waterfall. <i>Not available with TB Flex.</i></td> <td>FOC</td> </tr> <tr> <td>14" Standard</td> <td>FOC</td> <td>14" Waterfall. <i>Not available with TB Flex.</i></td> <td>FOC</td> </tr> </table>	10" Standard	Standard	10" Waterfall. <i>Not available with TB Flex.</i>	FOC	14" Standard	FOC	14" Waterfall. <i>Not available with TB Flex.</i>	FOC
10" Standard	Standard	10" Waterfall. <i>Not available with TB Flex.</i>	FOC						
14" Standard	FOC	14" Waterfall. <i>Not available with TB Flex.</i>	FOC						

CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Centre Mount Foot Platform.	Standard				
Lower Leg Extensions. <i>From seat pan.</i>	<table border="1"> <tr> <td>10"-16".</td> <td>FOC</td> <td>13"-19".</td> <td>Standard</td> </tr> </table>	10"-16".	FOC	13"-19".	Standard
10"-16".	FOC	13"-19".	Standard		
Foot Supports.	<table border="1"> <tr> <td>10"W x 8"D Split Foot Supports.</td> <td>FOC</td> </tr> <tr> <td>10"W x 11"D Split Foot Supports.</td> <td>Standard</td> </tr> </table>	10"W x 8"D Split Foot Supports.	FOC	10"W x 11"D Split Foot Supports.	Standard
10"W x 8"D Split Foot Supports.	FOC				
10"W x 11"D Split Foot Supports.	Standard				
Calf Support.	Individual Calf Pads. <i>6"W x 6"H.</i> Standard				

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

INDIVIDUALLY MOUNTED LEG SUPPORTS

<input type="checkbox"/>	70° Swing-Away. <i>Adjustment range 12" to 15".</i>	Standard
<input type="checkbox"/>	Manual Elevating Swing-Away. <i>Adjustment range 15" to 20". Minimum seat width 16".</i>	FOC
Enter seat pan to heel measurement. <input type="checkbox"/> <i>If no measurement is supplied the standard factory length option will be fitted.</i>		

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

<input type="checkbox"/>	UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>	FOC
<input type="checkbox"/>	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>	Standard
<input type="checkbox"/>	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>	FOC

PELVIC SOLUTIONS

<input checked="" type="checkbox"/>	Auto Buckle Lap Belt, Push Button Release.	Standard
-------------------------------------	--	----------

NON-EXPANDABLE CONTROLS

<input checked="" type="checkbox"/>	QLNES Controls. <i>2 power option ready.</i>	Standard
Control Method.	<input type="checkbox"/> Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	<input type="checkbox"/> Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

<input type="checkbox"/>	Fixed.	Standard
<input type="checkbox"/>	Basic swing-away.	FOC
Mounting Position.	<input type="checkbox"/> Left <input type="checkbox"/> Right	

SPEED PROGRAM & LIGHTS PACKAGE

<input type="checkbox"/>	2-Pole Motors & 4 Mph Program with Lights and indicators.	FOC
<input type="checkbox"/>	2-Pole Motors & 6 Mph Program with Lights and indicators.	Standard

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
Motability ID 1001054 - 01/04/25 V1

