

R-TRAK WITH TB3 SEATING / POWER TILT / POWER RECLINE / POWER FOOT SUPPORTS

DEALERS DETAILS

Dealers Name

Order Date

Address

Postcode

Phone Email

PO No Order Ref

DELIVERY DETAILS

Dealers Address

Postcode

Quantum Specialist

Ⓞ Clients Weight

BASE MODEL

- 14 Colour Options
- Height Adj. Removable Arm Supports
- Centre Mount Foot Platform
- TB3 Seating
- 14" Flat Free Drive Tyres
- 2" x 9" Flat Free Front Castors



- SRS Suspension System
- Q-Logic 3e Control System
- 2 x 70 ah Batteries
- 4 Mph (6 Km/h) Motors
- Max User Weight:
21 st 6lbs. (136 kg)

Standard = Standard Factory Feature
FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

<input type="checkbox"/>	3" x 14" Flat Free Black Tyres. <i>With matching colour wheel accents.</i>	Standard
<input type="checkbox"/>	3" x 14" Pneumatic Black Tyres. <i>With matching colour wheel accents.</i>	FOC

COLOURS

<input type="checkbox"/>	Back in Black	Standard	<input type="checkbox"/>	Pretty in Pink	FOC
<input type="checkbox"/>	Green Machine	FOC	<input type="checkbox"/>	Lemon Crush*	FOC
<input type="checkbox"/>	Midnight Blue	FOC	<input type="checkbox"/>	Night Train*	FOC
<input type="checkbox"/>	Electric Blue	FOC	<input type="checkbox"/>	Evolution Orange*	FOC
<input type="checkbox"/>	Blue Jean	FOC	<input type="checkbox"/>	Military Green*	FOC
<input type="checkbox"/>	Deep Purple	FOC	<input type="checkbox"/>	Grey Street*	FOC
<input type="checkbox"/>	Red Corvette	FOC	<input type="checkbox"/>	Raspberry Beret*	FOC

* Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.



SEAT PACKAGES - SEAT WIDTH

12"-15"W.
16"-19"W.
20"-22"W.
Set width at: <input type="text"/>

SEAT PACKAGES - SEAT DEPTH

12"-15"D.
16"-19"D.
20"-22"D.
Set depth at: <input type="text"/>

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <i>158.7 Kg weight limit.</i>	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i>	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

<input checked="" type="checkbox"/> TRU-Balance 3 Powered Seat Tilt. <i>0° to 50° COG tilt. Uses 1 power option.</i>	Standard
Powered Tilt Seat to Floor Height. <i>From seat pan.</i>	<input type="checkbox"/> 17.75" <input type="checkbox"/> 18.75" <input type="checkbox"/> 19.75"

BACKREST SPECIFICATIONS

<input checked="" type="checkbox"/> TRU-Balance 3 Back Support System. <i>Select TB3 back options below.</i>	Standard
--	----------

Include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

<input checked="" type="checkbox"/> Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. <i>Select size in Back Support Dimensions</i>	Standard
--	----------

TB3 BACK SUPPORT POSTIONING

<input checked="" type="checkbox"/> TRU-Balance 3 Powered Recline. <i>175° with sheer reduction. Uses 1 power option.</i>	Standard
---	----------

BACK SUPPORT DIMENSIONS

Back Support can be +/- 4" of seat width with TB3 Back Support System.

Backrest Support Width Package.	<input type="checkbox"/> 12"-14"W.	<input type="checkbox"/> 14"-16"W.	<input type="checkbox"/> 16"-20"W.
	<input type="checkbox"/> 18"-22"W.	<input type="checkbox"/> 20"-24"W.	
Back Support Width.	<input type="checkbox"/> 12"W.	<input type="checkbox"/> 14"W.	<input type="checkbox"/> 17"W.
	<input type="checkbox"/> 18"W.	<input type="checkbox"/> 19"W.	<input type="checkbox"/> 21"W.
	<input type="checkbox"/> 22"W.	<input type="checkbox"/> 24"W.	
Back Support Height.	<input type="checkbox"/> 19"H.	<input type="checkbox"/> 20"H.	<input type="checkbox"/> 22"H.
	<input type="checkbox"/> 23"H.	<input type="checkbox"/> 24"H.	<input type="checkbox"/> 26"H.
<i>From seat pan.</i>	<input type="checkbox"/> 27"H.	<input type="checkbox"/> 28"H.	<input type="checkbox"/> 29"H.

ARM SUPPORTS

	TB Flex Removable, Quick Release. <i>Adjustment range 9" to 14" from seat pan. Minimum seat depth 15".</i>			Standard
	Paediatric Single Post Drop-in Removable. <i>Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.</i>			FOC
	Single Post Drop-in Removable. <i>Adjustment range 11"-17" from seat pan. Minimum seat depth 14".</i>			FOC
	2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>			FOC
	Height Adjustable, Removable, Heavy Duty.			FOC
	HD Removable Height Package. <i>From seat pan.</i>	8"-12".	FOC	10"-14". Standard
	TB3 Flip-back. <i>Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.</i>			FOC
Arm Support Pads.		10" Standard		Standard
		14" Standard		FOC
		17" Standard. <i>TB3 only. Minimum seat depth 16".</i>		FOC
		10" Waterfall.		FOC
		14" Waterfall.		FOC

CENTRE MOUNTED LEG SUPPORTS

	Power Elevating Articulating Centre Mount Foot Platform. <i>Uses 1 power option.</i>			Standard
	Lower Leg Extensions. <i>From seat pan.</i>	10"-16".	FOC	13"-19". Standard
Foot Supports.		10"W x 8"D Split Foot Supports.		FOC
		10"W x 11"D Split Foot Supports.		Standard
Calf Support.		Individual Calf Pads. <i>6"W x 6"H.</i> Standard	}	Calf Panel. <i>18"W x 8"H.</i> FOC

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	Power Elevating Articulating Swing-Away Leg Supports. <i>Includes calf pads.</i>			FOC	
ELEVATING ARTICULATING	Lower Leg Extensions. <i>From seat pan.</i>	9"-15"	FOC	13"-21" Standard	
	Footplate Type.	Angle Adjustable Flip-up. <i>Select size below.</i>		Standard	
	Foot Support Size. <i>Includes heel loops.</i>	4"W x 6"D. <i>14" seat widths and above.</i>	FOC	5"W x 7"D. <i>16" seat widths and above.</i> FOC	6"W x 8"D. <i>18" seat widths and above.</i> FOC
	Powered Leg Support Operation Method.	Independent. <i>Uses 2 power options.</i>		Combined. <i>Uses 1 power option.</i>	

STEALTH HEAD SUPPORTS

	UniLink 8" Comfort Plus. <i>HMO475-17M / CP08CCFPM.</i>			FOC
	UniLink 10" Comfort Plus. <i>HMO475-17M / CP10CCFPM.</i>			Standard
	UniLink 14" Comfort Plus. <i>HMO475-17M / CP14CCFPM.</i>			FOC

PELVIC BELTS

✓	Auto Buckle Lap Belt, Push Button Release.	Standard
---	--	----------

EXPANDABLE CONTROLS

Q-Logic 3e hand controls are supplied with built-in Bluetooth.

	Q-Logic 3e Controls. <i>5 power option ready.</i>	Standard
Control Method.	Hand Control. <i>Select position in Hand Control Mounts below.</i>	Standard
	Attendant Control. <i>Hand control mounted at rear.</i>	FOC

HAND CONTROL MOUNTS

	Fixed.	Standard
	Basic Swing-away.	FOC
Mounting Position.	<input type="checkbox"/> Left <input type="checkbox"/> Right	

SPEED PROGRAM & LIGHTS PACKAGE

	2-Pole Motors & 4 Mph Program with Lights and indicators.	Standard
	2-Pole Motors & 6 Mph Program with Lights and indicators.	FOC
	LED Front Castor and Rear Fender Lights. <i>Includes single switch button mounted to side rail. Not road legal.</i>	Standard
	Omit LED Front Castor and Rear Fender Lights.	FOC

NOTES & SPECIAL REQUESTS



Quantum®
 32 Wedgwood Road, Bicester,
 Oxon, OX26 4UL
 Phone: 01869 324600
 Fax: 01869 323070
 Email: sales@quantumrehab.co.uk
 Web: www.quantumrehab.co.uk
MOTABILITYID 1003171 - 01/07/25 V1

